MCM

Your Connection to Electronic Products and Components.

MCMelectronics.com

▸ 1-800-543-4330

✔Best Deals
✔Best Selection
✔Best Availability

Prices effective through July 31, 2010

ELECTRONIC ESSENTIALS

SALES FLYER

Stellar Labs™

HDTV Premium Cable Kit

See page 4.

Order # 24-10450 Reg. ~~$19.39~~

SALE $17.99

In-Line Surge Protector

See page 14.

Order # 33-10400 Reg. ~~$6.99~~

SALE $4.99

Kill A Watt Appliance Tester

See page 17.

Order # 28-10985 Reg. ~~$25.49~~

SALE $22.99

Special Purchase! Limited Quantities

MG

8" In-Wall Speaker Pair

See page 30. **Sold in pairs.**

Order # 58-14045 MSRP $69.99

ONLY $29.99

Special Purchase! Limited Quantities

AR ACOUSTIC RESEARCH

Four Port HDMI Switch

See page 31.

Order # 58-13995

ONLY $61.19

Stellar Labs™

Multi-Colored LED Par 56 Can

See page 9.

Order # 555-11400 MSRP $139.99

ONLY $99.99

FREE GROUND SHIPPING

on orders over $200 & under 50 lbs. See page 25 for exclusions.

▸ **Fax:** 1-800-765-6960 ▸ **Customer Service:** 1-877-626-3532

Stellar Labs™

HDMI v1.3 Premium High Speed Cables

High performance home theater HDMI cables suitable for use with the latest A/V receivers, high-definition DVD players, set-top boxes and projectors. These cables are specially designed to support HDMI v1.3, high-speed, Cat 2 requirements including 48 bit x.v.YCC with deep color, Dolby True HD, and DTS-HD Master Audio. **Specifications:** •24K gold plated connectors •Oxygen-free, 26AWG, twisted-pair wire with drain •Dual layer aluminum mylar foil shield, plus tinned copper braided shield •Supports single-link bandwidth of 340MHz (10.2Gbps) •High resolution support (full 1080p at up to 120Hz refresh and WQXGA) •CEC system control support •Fully HDCP compliant

Order #	Length	MSRP	Reg.	SALE
24-10160	3'	$39.95	~~$10.19~~	$6.99
24-10162	6'	49.95	~~14.29~~	9.99
24-10164	12'	59.95	~~17.39~~	12.99
24-10166	25'	79.95	~~20.39~~	17.99

Stellar Labs™

HDMI v1.3 High-Speed Cables

Just what you need to take advantage of full high-definition audio and video signals •Specially designed to support HDMI v1.3, high-speed, Cat 2 requirements **Specifications:** •24K gold-plated connectors •Supports single-link bandwidth of 340MHz (10.2 Gbps) •High resolution support (full 1080p at up to 120Hz refresh and WQXGA) •CEC system control support •Fully HDCP compliant

Order #	Length	MSRP	Reg.	SALE
24-10100	3'	$19.95	~~$5.09~~	$3.99
24-10105	6'	24.95	~~7.19~~	5.99
24-10110	10'	39.95	~~10.19~~	7.99
24-10115	25'	69.95	~~18.39~~	12.99

Stellar Labs™

Get true 1080p resolution with HDMI cables from Stellar Labs®.



Stellar Labs™

HDMI v1.3 Swivel Cable

•Right-angle swivel connectors stay connected better by rotating a full 180º to facilitate installation in tight spaces behind source equipment •Reduces directional strain on cable •Low 1¼" profile from connection •HDMI v1.3 certified •28AWG •Gold-plated connectors •Triple shielding •10.2 Gbit/s bandwidth •Deep color, 120Hz frame rate, 1080P resolution, and lossless audio capable •7mm (O.D.)

Order #	Length	MSRP	Reg.	SALE
Swivel-to-swivel				
24-10495	1.5'	$17.95	~~$6.19~~	$4.99
24-10496	3'	24.95	~~10.19~~	6.99
24-10497	6'	34.95	~~14.29~~	9.99
24-10498	10'	49.95	~~15.29~~	11.99
24-10499	25'	79.95	~~20.39~~	16.99
Swivel-to-straight				
24-10500	1.5'	17.95	~~6.19~~	4.99
24-10501	3'	24.95	~~10.19~~	6.99
24-10502	6'	34.95	~~14.29~~	9.99
24-10503	10'	49.95	~~15.29~~	11.99
24-10504	25'	79.95	~~20.39~~	17.99

Stellar Labs™

HDMI Right Angle Adapter Cable

Exits downward from the back of your HDMI source component to provide right-angle connector strain relief and promote signal transfer stability. Delivers clean, uncompressed digital signals and supports high definition resolutions up to 1080p and UXGA. Features include 24K gold-plated male to female connectors, and multi-layer shielding to reduce EMI/RFI

SALE $5.99

Order # 24-10330 Reg. ~~$8.19~~

Stellar Labs™

HDMI Right Angle Adapters

Use to reposition cable jack for easy access where space is limited. Delivers clean, uncompressed digital signals and supports high-definition resolutions up to 1080p and UXGA. Features include 24K gold-plated male to female connectors, and multi-layer shielding to reduce EMI/RFI. Unique ball-joint swivel adapter accommodates multi-directional orientation

Order #	Right Angle Orientation	Reg.	SALE
24-10335	Upward	~~$6.19~~	$4.99
24-10336	Downward	~~6.19~~	4.99
24-10337	Left-side	~~6.19~~	4.99
24-10338	Right-side	~~6.19~~	4.99
24-10339	Multi-directional swivel	~~7.19~~	5.99

Stellar Labs™

HDMI v1.3 Repeater Cable

•Extra long cable lengths allow you to deliver your high-definition signal to devices 75' or 100' away •Built-in equalization repeater to maintain signal integrity •CL3 rated cabling for in-wall runs •Gold-plated connectors •8mm OD •HDMI v1.3 certified

Order #	Length	MSRP	Reg.	SALE
24-10120	75'	$179.00	~~$71.39~~	$69.99
24-10125	100'	209.00	~~81.59~~	79.99

Stellar Labs™

HDMI/DVI Swivel Adapters

•Adapt from HDMI to DVI, or vice-versa with a convenient swivel design •Dual-axis swivel bends 180° up or down, and twists 360° •Eliminate strain from bulky standard adapters

Description Order #	MSRP	Reg.	SALE
HDMI female to DVI male			
24-10140	$29.99	~~$10.19~~	$8.99
DVI female to HDMI male			
24-10142	29.99	~~10.19~~	8.99

Dear Customers and Friends:

Whew – spring has finally sprung! For most of us, it's been a long hard winter and we are eager to see more sun and be done with the white stuff. So now, as the spring storms start, we recommend you take a moment to ensure that your expensive electronic equipment in your home and business is properly surge protected. Since surge protectors take the "hit" for whatever is plugged into them, they wear out over time. The length of time is dependent on events and how many joules of protection are provided. On average, studies show surge protectors last about two years. After that, your equipment is no longer protected even though it is plugged into the surge strip. On page 41 you will find a few, for our full selection visit MCMelectronics.com

As always, thanks for your continued business!

Phil Minix
Phil Minix
President

Stellar Labs™

HDMI v1.3 Pro Cables

•High-definition cables that allow you to tackle any professional install •CL3 in-wall rated •HDMI v1.3 certified •28AWG •Gold-plated connectors •Triple shielding •10.2Gbit/s bandwidth •Deep color, 120Hz frame rate, 1080P resolution, and lossless audio capable •Multi-color options for organization or personal preference

White	Blue	Length	MSRP	Reg.	SALE
24-10055	24-10060	3'	$24.95	~~$7.19~~	$4.99
24-10056	24-10061	6'	34.95	~~7.19~~	5.99
24-10057	24-10062	10'	49.95	~~12.29~~	8.99
24-10058	24-10063	25'	89.95	~~19.39~~	14.99
24-10059	24-10064	50'	149.95	~~30.59~~	24.99

Stellar Labs™

HDMI Male to DVI-D Male HDMI Cables

Transport digital video to an HDMI display with this fully shielded HDMI, 1.2 certified video cable interconnect.

Order #	Length	MSRP	Reg.	SALE
HDMI male to DVI-D male				
24-9635	1½'	$49.95	~~$10.19~~	$8.99
24-9640	3'	64.95	~~11.29~~	9.99
24-9645	6'	86.95	~~14.29~~	12.99
24-9650	10'	99.95	~~16.39~~	14.99
24-9655	15'	149.00	~~21.49~~	19.99
24-9660	25'	249.00	~~31.69~~	29.99

MCM

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com

Follow us on: facebook & twitter



Standard Speaker Wire

•Two conductor clear insulation, polarity identified by white stripe •Made in USA

Order #	Gauge	Length	ONLY
24-310	24	50'	$5.09
24-320	24	500'	28.09
24-330	24	1000'	50.99
24-340	18	50'	7.19
24-350	18	500'	61.19
24-360	18	1000'	122.00
24-370	16	50'	11.29
24-380	16	500'	86.69
24-390	16	1000'	163.00





Stellar Labs™

Miniature Bundled Coax Cable

Ultra-flex mini RGB and RGBHV riser rated 75ohm precision video cable suitable for longer, in-wall component video and AV runs. Individual mini coax conductors are 23AWG solid bare copper for exceptional signal distance and frequency response. **Specifications:** •Sweep tested to 2250MHz •23AWG solid bare copper conductors •Gas-injected FHDPE insulation •100% bonded aluminum foil and 95% aluminum braid shielding •PVC outer jacket •UL 1666; CMR rated; FT4 •RoHS compliant

Order #	Conductors	Length	(1-8)	(9-up)
24-10295	3-conductor (RGB)	500'	$254.00	$241.28
24-10296	5-conductor (RGBHV)	250'	203.00	192.83

HOLLAND Electronics LLC Miniature Coax Compression Connectors

Designed for all applications in CATV, satellite, home theater, broadcast and satellite radio, Holland's patented U-type compression connectors (#27-5620~27-5630) can be used on a wider range of cable sizes (23~30AWG). These Superlok™ compression connectors utilize two independent compression points to seal and hold the oaxial cable, and the patented viewing window helps ensure proper cable insertion prior to compression. While the right-angle compression connectors are for 23AWG minicoax wire only, they still feature the same patented Superlok™ features

Fig.	Order #	Mfr. #	Description	Reg.	SALE
Standard					
A	27-5620	SLC-1855FP2U	"F" type	$1.59	$1.29
B	27-5625	SLC-1855-RCAFPU	RCA	2.49	1.99
C	27-5630	SLC-1855-BNCFPU	BNC	2.79	2.29
Right-angle					
D	27-5635	SLC90-F-1855	"F" type	2.79	2.29
E	27-5640	SLC90-RCA-1855	RCA	3.09	2.49
F	27-5645	SLC90-BNC-1855	BNC	3.39	2.79

Stellar Labs™

RG-6/U

RG-6/U coaxial cable with 18AWG copper covered steel, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .275" nominal. **Impedance:** 75ohm nominal. Sequential foot marking every two feet

Order #	Length	(1-3)	(4-8)
Black			
24-10205	500'	$25.49	$24.21
24-10206	1000'	46.99	44.56
White			
24-10210	500'	25.49	24.21
24-10211	1000'	46.99	44.56

Stellar Labs™

Keep your network up and running with bulk Cat 5e and Cat 6 ethernet cables from MCM.

Stellar Labs™



Category 5e 350MHz UL CMR Cable

Ideal for today's high-speed voice, data and video applications the Stellar Labs® Cat 5e cable is UL approved, riser rated (CMR) and tested to meet both Cat 5e specifications and 350MHz bandwidth. **Specifications:** •Four unshielded twisted pairs •24AWG solid bare copper conductors •PVC outer jacket •High-density polyethylene individual conductor insulation •Complies with Cat 5e (EIA/TIA-568) standards •Rated to 350MHz headroom or above •RoHS compliant •Convenient and durable pull box

Order #	Color	Length	MSRP	ONLY
24-10515	Blue	500'	$59.95	$38.79
24-10505	Blue	1000'	99.95	66.29
24-10520	Gray	500'	59.95	38.79
24-10510	Gray	1000'	99.95	66.29

Stellar Labs™



Category 6 550MHz UTP Cable

Stellar Labs® Cat 6 cable is the perfect choice for gigabit ethernet and other high-bandwidth applications where lower crosstalk and system noise is critical. Verified to meet or exceed 550MHz performance, the Stellar Labs® Cat 6 cable also meets or exceeds ANSI/TIA-568-B.2-1 and ISO/IEC 11801 specifications. **Specifications:** •Four unshielded twisted pairs •23AWG solid bare copper conductors •PVC outer jacket •High-density polyethylene individual conductor insulation •Complies with Category 6 (ANSI/TIA-568) standards •Rated to 550MHz headroom or above •RoHS compliant •Convenient and durable EZ-pull reel-in-a-box •Gray in color

Order #	Length	(1-3)	(4-8)	(9-up)
24-10320	500'	$66.29	$64.96	$62.97
24-10321	1000'	122.00	118.95	115.32



Stellar Labs™

CL2 Rated In-Wall Speaker Wire

Two and four conductor commercial grade in-wall CL2 rated speaker wire features 41-strand, high-conductivity ETP bare copper conductors with ultra flexible PVC insulation. **Features:** •Low capacitance, oxygen-free, high conductivity wire •White PVC outer jacket •Color-coded two and four conductor inner jacketed wire •UL CL2 rated •RoHS compliant •Reel-in-pull box put-up

Order #	Description	Length	(1-3)	(4-8)
2 Conductor				
24-10325	18AWG	500'	$60.69	-
24-10326	18AWG	1000'	112.00	-
24-10323	16AWG	500'	97.40	-
24-10324	16AWG	1000'	173.00	-
4 Conductor				
24-10322	18AWG	500'	96.89	$94.95
24-10331	18AWG	1000'	184.00	179.92
24-10340	16AWG	500'	153.00	149.93
24-10341	16AWG	1000'	286.00	279.88

RCA "Y" Adapter Cables

•Divides a RCA input into two outputs

Order #	Description	Reg.	SALE
24-770	RCA jack to two RCA plugs	$1.59	$0.99
24-650	RCA plug to two RCA jacks	1.59	0.99

Stellar Labs™

Professional ¼" to ¼" Patch Cables

Noise-free ¼" male to male cables are ideal for interconnection between amplifiers and mixers, processors and source gear. They are also suitable for musical instrument use. Available in two conductor configuration, or three conductor TRS configuration for single channel balanced, or two channel unbalanced stereo use. Terminated with durable, fully molded ¼" male plugs.

Order #	Length	MSRP	Reg.	SALE
Balanced				
24-9870	2'	$6.99	$3.99	$2.49
24-9871	3'	7.99	4.59	2.79
24-9872	6'	9.99	5.09	3.69
24-9873	10'	13.95	7.19	5.19
24-9874	15'	13.95	7.39	5.49
24-9875	25'	13.95	10.19	7.99
Unbalanced				
24-9880	2'	6.99	3.89	2.49
24-9881	3'	7.99	4.09	2.79
24-9882	6'	9.99	4.59	3.69
24-9883	10'	13.95	6.69	5.19
24-9885	25'	19.95	9.19	7.99

Stellar Labs™

Professional Balanced XLR Male to Female Patch Cables

High-quality, balanced audio stage cables are the ideal choice for professional sound applications including connections from balanced sources, like microphones, mixers and equalizers to balanced amplifier inputs. Rugged and durable, these cables are constructed with noise-free, shielded Lo-Z wire, and terminated with reliable latch-lock, 3 pin XLR connectors

Order #	Length	MSRP	Reg.	SALE
24-9820	2'	$11.95	$6.69	$4.59
24-9821	3'	12.95	7.89	4.99
24-9822	6'	14.95	8.89	5.79
24-9823	10'	17.95	10.19	6.89
24-9824	15'	18.95	10.70	7.19
24-9825	25'	29.95	13.29	9.49

Stellar Labs™

Professional XLR to RCA Patch Cables

Ideal for studio and stage production, these high-quality, noise-free, cables are used to connect balanced XLR sources to unbalanced inputs on mixers and amplifiers. They are constructed with Hi-Z shielded wire, terminated with rugged and durable latch-lock, 3 pin XLR connectors (male-to-female), and fully molded RCA plugs to provide L/R unbalanced audio channels

Order #	Length	MSRP	Reg.	SALE
Male XLR to RCA				
24-9860	2'	$10.95	$4.59	$3.49
24-9861	3'	11.95	4.59	3.69
24-9862	6'	13.95	5.60	4.39
24-9864	15'	16.95	7.79	5.59
Female XLR to RCA				
24-9850	2'	10.95	4.59	3.49
24-9851	3'	11.95	4.59	3.69
24-9852	6'	13.95	5.60	4.39
24-9854	15'	16.95	7.19	5.59

Stellar Labs™

Minimize your signal loss and maximize your savings with quality A/V cables from Stellar Labs®.



Stellar Labs™ 3.5mm Stereo Audio Cables

Adapt from one connection to another, or extend an existing cable connection. •Bonded, tangle-free construction •Low-loss, spiral wrapped dual conductor provides excellent protection against EMI/RFI •Fully molded connectors provide excellent strain relief

Order #	Length	MSRP	Reg.	SALE
3.5mm male to male				
24-9520	1½'	$5.99	~~$2.59~~	$1.99
24-9521	3'	8.99	~~4.49~~	2.99
24-9522	6'	9.99	~~4.09~~	2.99
24-9523	12'	10.95	~~5.09~~	3.99
24-9524	25'	15.95	~~6.19~~	4.99
24-9525	50'	24.95	~~9.19~~	7.99
24-9526	75'	29.95	~~12.29~~	9.99
24-9527	100'	39.95	~~15.29~~	12.99
3.5mm male to female				
24-9530	1½'	6.99	~~2.59~~	1.99
24-9531	3'	8.99	~~4.49~~	2.99
24-9532	6'	9.99	~~4.09~~	2.99
24-9533	12'	10.95	~~5.09~~	3.99
24-9534	25'	13.95	~~6.59~~	4.99
24-9535	50'	24.95	~~9.19~~	7.99
24-9536	75'	34.95	~~12.29~~	10.99
24-9537	100'	44.95	~~15.29~~	13.99



Stellar Labs™ Premium Component Video Cables

Precision engineered to provide superior picture quality and excellent signal integrity. **Features:** •Oxygen free coaxial copper construction •Tangle free bonded wires •Gold plated, corrosion free split-lock ring RCA connectors •UL listed •Limited lifetime warranty

Order #	Length	MSRP	ONLY
24-8891	3'	$59.95	$16.39
24-8892	6'	65.95	19.39
24-8893	9'	80.95	22.49
24-8894	12'	85.95	25.49
24-8895	25'	119.00	30.59
24-8896	50'	159.00	35.69
24-8897	75'	299.00	43.89
24-8898	100'	399.00	56.09

Stellar Labs™ 3.5mm to Dual RCA Stereo Cables

Bonded, tangle-free construction. Perfect for connecting audio sources (iPod®, MP3, DVD, PC, and XM™ or Sirius™ satellite radio players) to an amplifier or home theater system. Features bonded wires and tangle-free construction to help facilitate flexibility and compatibility among audio interconnects while reducing cable clutter.

Order #	Length	MSRP	Reg.	SALE
24-9490	1½'	$6.99	~~$3.89~~	$2.59
24-9491	3'	9.99	~~4.49~~	2.99
24-9492	6'	9.99	~~5.60~~	3.69
24-9493	12'	11.95	~~7.59~~	4.19
24-9494	25'	16.95	~~8.09~~	6.29

Stellar Labs™ Audio "Y" Splitting Cables

Bonded, tangle-free construction. Connect a single audio source to two devices, or split a mono audio signal for connection to a stereo input.

Order #	Length	MSRP	Reg.	SALE
Male plug to dual female jacks				
24-9470	1½'	$8.99	~~$4.09~~	$2.99
24-9471	3'	8.99	~~4.19~~	2.99
24-9472	6'	10.95	~~4.89~~	2.99
24-9474	25'	18.95	~~9.09~~	5.99
Female jack to dual male plugs				
24-9480	1½'	8.99	~~4.09~~	2.99
24-9481	3'	9.99	~~4.69~~	3.69
24-9482	6'	10.95	~~4.89~~	3.99

Female to Female S-Video Connector

•Connects two S-video cables together

Order # 27-1270 — ONLY $2.09

Stellar Labs™ S-Video Plus Stereo Audio Cables

•Bonded, tangle-free construction •EMI/RFI shielded, low-loss, dual conductor 75ohm coax S-video wire to deliver high-resolution video images •Dual 26AWG shielded audio cables protect against noise and distortion •Color-coded red and white RCA audio connectors.

Order #	Length	MSRP	Reg.	SALE
24-9380	1½'	$10.95	~~$4.09~~	$3.29
24-9381	3'	12.95	~~5.09~~	4.39
24-9382	6'	18.95	~~5.09~~	4.39
24-9383	12'	19.95	~~6.19~~	5.29
24-9384	25'	29.95	~~9.19~~	7.19
24-9385	50'	49.95	~~15.29~~	9.99



Stellar Labs™ Premium S-Video Cables

Twisted pair, oxygen free coaxial copper construction provides the ideal media for separating and transporting color and brightness signals. **Features:** •Dual EMI/RFI shielding •Tangle free bonded wires •Gold plated corrosion free shielded S-video connectors. •UL listed wire •Limited lifetime warranty

Order #	Length	MSRP	Reg.	SALE
24-8821	3'	$46.95	~~$5.09~~	$4.59
24-8822	6'	48.95	~~6.19~~	4.99
24-8823	9'	64.95	~~7.19~~	5.99
24-8825	25'	78.95	~~13.29~~	10.99
24-8826	50'	119.00	~~17.39~~	12.99
24-8827	75'	149.00	~~22.49~~	17.99
24-8828	100'	169.00	~~25.49~~	19.99
24-8829	150'	189.00	~~35.69~~	29.99

Stellar Labs™ Premium Stereo Audio Cables

Provides excellent signal integrity and balanced audio integrity. **Features**: •Twisted pair, oxygen free coaxial copper construction •Tangle free bonded wires •Gold plated, split-lock, stereo audio RCA connectors •UL listed cables •7.0mm outer diameter •Dual EMI/RFI shielding •Thick polyethylene dielectric •Limited lifetime warranty

Order #	Length	MSRP	Reg.	SALE
24-8941	3'	$54.95	~~$16.39~~	$10.99
24-8942	6'	88.95	~~22.49~~	12.99
24-8943	9'	99.95	~~24.49~~	14.99
24-8944	12'	99.95	~~27.59~~	15.99
24-8945	25'	119.00	~~33.69~~	19.99
24-8947	75'	179.00	~~28.59~~	27.99

Stellar Labs™ HDTV Premium Cable Kit

The most popular 6' cables used in virtually all HDTV connections. Great all-in-one solution for connecting your HDTV home theater system. Kit includes one each of the following: HDMI cable, component video/toslink audio cable assembly, composite video/stereo audio cable assembly, S-video cable and an HDMI/female-to-DVI-I male adapter. Limited life-time warranty.

Order # 24-10450 — Reg. ~~$19.39~~ — SALE $17.99

Stellar Labs™ HDMI v1.3 Flat Cables

High-definition audio and sound are delivered in an extra flexible, low profile cable that is only 3mm thick. •Great for running in tight spaces •CL3 rated for in-wall use •For Hi-Def 1080p video •HDMI v1.3 compatible

Order #	Length	MSRP	Reg.	SALE
24-10090	3'	$39.95	~~$8.19~~	$4.99
24-10092	6'	49.95	~~12.29~~	7.99
24-10094	10'	59.95	~~13.29~~	8.99
24-10096	25'	99.95	~~18.39~~	14.99

HDMI™ Cable Coupler

This passive HDMI™ female-to-female coupler allows you to extend two HDMI™ cables for a combined length of 50' **Features:** •Compatible with HDMI™ Version 1.3a •HDCP (High Definition Copy Protocol) complaint •Supports 1080p and 1080i up to 50' •HDMI A/A jacks •Compatible with computer resolutions through UXGA

Order # 33-10505 — Reg. ~~$9.19~~ — SALE $7.99

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com
Follow us on: facebook & twitter

Connectors

Get those hard-to-find connectors and adapters before you start the job.

RCA and BNC Compression Connectors

Take advantage of this factory buyout of these premium quality A/V compression connectors. Designed for use with RG-59 cable, these connectors are the perfect choice for composite video, Y/Pr/Pb component video, digital and line level audio applications. Requires compression tool (#22-3251). **Connector quantities are limited.**

Order #	Type	Color	Reg.	SALE
27-4670	RCA	Red	~~$2.19~~	$0.59
27-4675	RCA	Green	~~0.70~~	0.59
27-4680	RCA	Blue	~~0.70~~	0.59
27-4690	RCA	White	~~2.19~~	0.59
27-4825	BNC	Green	~~2.09~~	1.19
27-4830	BNC	Blue	~~2.29~~	0.69
27-4840	BNC	White	~~2.29~~	0.69



MCM "F" Type Adapters

•#27-5675 screw-on to push-on •#27-5670 right angle adapter **•Minimum ten**

Fig.	Order #	Description	Reg.	SALE
A	27-5685	Female RCA to male "F"	~~$0.99~~	$0.69
B	27-5675	Female "F" to push-on male "F"	~~0.89~~	0.69
C	27-5695	Female "F" to male RCA	~~0.99~~	0.69
D	27-5696	Female RCA to female "F"	~~0.99~~	0.69
E	27-805	Female "F" to male 3.5mm	~~1.09~~	0.99
F	27-5670	Right angle "F" adapter	~~1.39~~	0.89
G	33-550	"F" type 75ohm terminator	~~1.39~~	0.99
H	27-4245	"F" male to "N" female-nickel	~~1.59~~	1.29
H	27-4250	"F" male to "N" female-gold	~~2.29~~	2.09

MCM S-Video Coupler

Useful for extending S-video cables. Fully insulated metal body insures signal integrity. Gold plated connectors.

Order # 27-5020 Reg. ~~$7.69~~ **SALE $3.99**

Gold Plated Banana Plugs

Dual banana plug screw type.

Order #	Reg.	SALE
50-4435	~~$2.59~~	$1.99
50-4440	~~2.59~~	1.99

Switchcraft® RCA Type Metal Phone Plug

•Mono •Solder-type terminals with built-in cable clamp •Mfr. #3502

Order # 101-101 **ONLY $1.69**

MCM Hex Crimp Connectors

Hex crimp "F" connectors for antenna, satellite and cable television installations. Anodized brass connector with large surface on the nut for "finger" tightening the connector. Configurations for indoor or outdoor use include "O" ring seal in the nut and silicone gel in the ferrule. Use with standard hex crimp tool (#22-100).

Order #	Type	Reg.	SALE
Standard			
33-8765	RG-59	~~$0.39~~	$0.29
27-5650	RG-6	~~0.30~~	0.19
Weatherproof w/ "O" Ring			
27-5648	RG-59	-	0.29
27-5651	RG-6	~~0.40~~	0.29
27-5649	RG-6Q	~~0.50~~	0.39
Weatherproof w/ "O" Ring and Silicone Gel			
27-5652	RG-6	~~0.50~~	0.39



MCM Type F-81 Female Splice

•Nut and washer included **•Minimum ten**

Fig.	Order #	Description	(10-up)
A	33-460	Knurled F-81	$0.54
B	33-480	"F" Type Male to "F" Male	0.94

BNC Adapter

A high-quality goal post type BNC connector especially suitable for thin wire ethernet use. Manufactured with insulators and gold over beryllium contacts.

Order # CS00165 Reg. ~~$2.49~~ **SALE $1.99**

MCM Four Piece Mini Coax BNC Connector

This four piece BNC connector is designed for use with miniature 75ohm coax cables. Nickel plated brass body with gold plated copper center pin. Teflon insulator supports the center conductor found in miniature coaxial cable.

Order # 27-5015 Reg. ~~$1.69~~ **SALE $1.19**

Audio and Video In-Line Couplers

Perfect for extending cable lengths.

Order #	Description	ONLY
27-4960	A/V coupler	$1.19
CN00502	Dual female to female	0.99



Amphenol® RFX™ BNC Type Adapters

Fig.	Order #	Description	ONLY
A	27-1850	Female BNC to female BNC, bulkhead mount	$4.69
A	27-2925	Female BNC to female BNC	4.59
B	27-1840	Right angle BNC adapter	4.69
C	27-1845	BNC "T" adapter	4.69

MCM BNC Type Adapters

Fig.	Order #	Description	ONLY
D	27-410	Male BNC to male BNC	$1.89
A	27-435	Female BNC to female BNC	2.59
B	27-385	Right angle BNC adapter	2.49
C	27-390	BNC "T" adapter	3.09
F	33-510	Female BNC to male RCA	1.59
G	27-405	Female RCA to male BNC	1.09
H	27-400	Male BNC to male RCA	1.79
J	27-440	Female BNC to male "F"	2.59
K	27-5680	Female "F" to male BNC (75ohm/50ohm)	0.79
L	27-1425	Female BNC "T" adapter	2.09
M	27-4215	"F" female to BNC female	1.59
M	27-4220	"F" female to BNC female Gold	1.69
N	27-4225	BNC male to "N" female	2.09
P	27-4235	"N" male to BNC female	2.39

BNC Male Multi-Fit Crimp Connector

Carry one connector for six different cables. Patent pending captive-pin BNC male crimp connector will handle center conductor wire size of 18~26AWG. Comes with three crimp ferrules to fit the following cables: mini-coax, West Penn 825, RG-58, RG-59, RG-59 plenum, RG-6, RG-6 plenum, and RG-6QS.

Order # 27-5530 **ONLY $2.09**

MCM Weatherproof Compression "F" Connectors

The compression design of these connectors prevents moisture from entering from the rear of the connector and an "O" ring keeps moisture from entering through the nut. These connectors are ideal for CATV, MATV and satellite installations. Use with #22-3250 compression tool. **Minimum ten.**

Order #	Description	Color	Reg.	SALE
33-7765	RG-6	Black	~~$0.69~~	$0.49
33-7770	RG-59	Black	~~0.69~~	0.49
33-7775	RG-6QS	Blue	~~0.69~~	0.49

Huge selection of over 40,000 items stocked and access to over 1.5 million.

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Home Audio

In a single room or throughout the home, MCM meets your distributed audio needs.



Stellar Labs™

SLA 150 Stereo Power Amplifier

Designed specifically for use in distributed audio installations, where high reliability and premium sound quality are a must. Remote on/off triggering and signal sensing allows these units to be set up in equipment racks, with no further contact required. Rear mounted master level controls keep installation safe from future tampering. Two auto-switching inputs allow automatic operation when used with more than one system. **Features:** •Front panel controls for level, balance and A/B speaker selection •Two sets of L/R inputs, each may be switched to accept line level speaker level signal •Auto-switching between inputs, with adjustable delay •Manual or auto-sensing power control •12V trigger input •12V trigger output •Power output (#50-4610): 75W RMS x 2CH @4ohm, 150W RMS bridged •Power output (#50-4620): 125W RMS x 2CH @4ohm, 250W RMS bridged

Order #	MSRP	Reg.	SALE
50-4610	$449.00	~~$203.00~~	$169.00
50-4620	599.00	~~254.00~~	205.00

Stellar Labs™

Compact Stereo Amplifier with USB Input

Designed specifically to power a pair of speakers from a standard line level source, such as a CD player, television, and MP3 player. A USB input also allows connection to a desktop or laptop PC to power a set of bookshelf speakers. **Features:** •20W RMS, 40W peak at 8ohm •Heavy-duty brushed aluminum faceplate •Three position input selector •Stereo 3.5mm line level input •RCA unbalanced line level subwoofer output •Heavy-duty binding post speaker outputs **Specifications:** •Frequency response: 20Hz~20KHz •Total harmonic distortion (THD): 0.1% •Dimensions: 3.0" (H) x 10.8" (W) x 7.3" (D) •Mfr. #SLA 100

Order #	MSRP	ONLY
50-4606	$149.99	$102.00

Stellar Labs™

Compact Stereo Amplifier

This extremely small amplifier chassis is perfect for permanent installations. Typical applications include use with flat panel televisions to drive one or two pairs of speakers, digital signage installations, kiosk, POS and similar retail environments. **Features:** •20W RMS 8ohm stereo, bridgeable to 40W RMS mono •Fanless cooling for silent operation •Bass and treble controls •RCA unbalanced line level inputs •Detachable screw terminal speaker outputs •Detachable screw terminal balanced inputs, mic/line switchable **Specifications:** •Frequency response: 20Hz~25KHz •Total harmonic distortion (THD): 0.05% •Dimensions: 2¼" (H) x 7¾" (W) x 4½" (D) •Mfr. #SLA40

Order #	MSRP	ONLY
50-4608	$129.99	$81.59

MCM CUSTOM AUDIO

Multi Room Speaker Distribution Strip

Designed for use in multi room sound distribution installations where individual speaker selection is not required. Impedance protection circuit allows up to eight sets of 8ohm speakers to be connected to a stereo amplifier, and appear as a 4ohm load. Completely independent left and right circuits allow compatibility with all amplifier types. Attached mounting plate allows installation into standard 19" racks, or between studs spaced on 16" centers. **Features:** •Color coded push terminals accept up to 8AWG wire •Switchable impedance protection •Non-inductive resistors for full frequency response •Rugged aluminum housing with black finish **Specifications:** •Power capacity: 120W program per channel •Frequency response: 20Hz~20KHz •Dimensions: 3.5" (H) x 19.0" (W) x 2.25" (D)

Order #	MSRP	Reg.	SALE
50-2202	$139.95	~~$91.79~~	$79.99

MCM CUSTOM AUDIO

Multi Room Speaker Distribution Strip

Specifications: •Power capacity: 200W RMS per channel •Dimensions: 2" (H) x 2.25" (W) x 10.5" (L), including binding posts.

Order #	MSRP	Reg.	SALE
50-2204	$59.95	~~$36.79~~	$24.99

Stellar Labs™

6½" Ceiling Speaker Pair

Popular size ceiling speaker is perfect for background or foreground music in whole house distributed audio and home theater environments. Their low cost also makes them suitable in large scale commercial music and paging environments. The mounting frame has a 30° offset, allowing proper aim when mounted close to walls and corners. **Features:** •6½" poly cone woofer with rubber surround •1" pivoting silk dome tweeter •Cloth backed micro-perforated aluminum grill **Specifications:** •Power capacity: 40W/60W RMS/peak •Frequency response: 65Hz~20KHz (±3dB) •Sensitivity: 88dB (W/M) •Impedance: 8ohm **Mounting:** •Overall frame: 9.375" (dia) •Required cutout: 8.10" (dia) •Depth: 5" •**Speaker system is sold in pairs**

Order #	MSRP	(1–3 prs.)	(4 prs.–up)
50-10510	$119.00	$61.19	$55.04

Stellar Labs™

8" Ceiling Speaker Pair

Full size ceiling speaker is perfect for background or foreground music in whole house distributed audio and home theater environments. Their low cost also makes them suitable in large scale commercial music and paging environments. The mounting frame has a 30° offset, allowing proper aim when mounted close to walls and corners. **Features:** •8" poly cone woofer with rubber surround •1" pivoting silk dome tweeter •Micro-perforated aluminum grill **Specifications:** •Power capacity: 80W/55W RMS/peak •Frequency response: 60Hz~20KHz (±3dB) •Sensitivity: 89dB (W/M) •Impedance: 8ohm **Mounting:** •Overall frame: 11.5" (dia) •Required cutout: 10" (dia) •Depth: 5.25" •**Speaker system is sold in pairs**

Order #	MSRP	(1–3 prs.)	(4 prs.–up)
50-10511	$159.00	$81.59	$73.40

Stellar Labs™

6½" In-Wall Speaker Pair

Compact in–wall speaker is perfect for background or foreground music in whole house distributed audio and as front or rear speakers in home theater environments. Their low cost also makes them suitable in large scale commercial music and paging environments. **Features:** •6½" poly cone woofer with rubber surround •1" pivoting silk dome tweeter •Cloth backed micro-perforated aluminum grill **Specifications:** •Power capacity: 40W/60W RMS/peak •Frequency response: 65Hz~20KHz (±3dB) •Sensitivity: 88dB (W/M) •Impedance: 8ohm **Mounting:** •Overall frame: 12" (H) x 8.25" (W) •Required cutout: 10.25" (H) x 6.5" (W) •Depth: 3" •**Speaker system is sold in pairs**

Order #	MSRP	(1–3 prs.)	(4–up prs.)
50-10500	$119.00	$61.19	$55.04

Stellar Labs™

8" In-Wall Speaker Pair

Full size in–wall speaker is perfect for background or foreground music in whole house distributed audio and as front and rear speakers home theater environments. Their low cost also makes them suitable in large scale commercial music and paging environments. **Features:** •8" poly cone woofer with rubber surround •1" pivoting silk dome tweeter •Cloth backed micro-perforated aluminum grill **Specifications:** •Power capacity: 55W/80W RMS/peak •Frequency response: 60Hz~20KHz (±3dB) •Sensitivity: 89dB (W/M) •Impedance: 8ohm **Mounting:** •Overall frame: 14.25" (H) x 10.25" (W) •Required cutout: 12.25" (H) x 8.75" (W) •Depth: 3.5" •**Speaker system is sold in pairs**

Order #	MSRP	(1–3 prs.)	(4 prs.–up)
50-10501	$159.00	$81.59	$73.40

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com
Follow us on: facebook & twitter

MCM CUSTOM AUDIO

Inside or out, MCM has the sound products you need.

8" Two Way Outdoor "Rock" Speaker

These simulated rocks will add a distinctive look to any outdoor landscaping arrangement, while providing outstanding music fidelity. Fully sealed enclosures are designed to provide years of trouble free service, and may be permanently installed and exposed to weather year round. **Features:** •70W RMS power capacity •8" injected polypropylene cone woofer •25mm mylar tweeter •High-quality 12dB crossover •55Hz~20KHz frequency response •88dB sensitivity •8ohm impedance •Dimensions: 13.39" x 11.03" x 12.21"

Order #	MSRP	ONLY
50-10540	$109.00	$81.59

6½" Two Way Outdoor "Rock" Speaker

These simulated rocks will add a distinctive look to any outdoor landscaping arrangement, while providing outstanding music fidelity. Fully sealed enclosures are designed to provide years of trouble free service, and may be permanently installed and exposed to weather year round. **Features:** •60W RMS power capacity •6½" injected polypropylene cone woofer •13mm mylar tweeter •High-quality 6dB crossover •60Hz~20KHz frequency response •87dB Sensitivity •8ohm impedance •Dimensions: 11.02" x 10.63" x 12.60"

Order #	MSRP	ONLY
50-10535	$89.95	$61.19

5¼" Two Way Outdoor "Rock" Speaker

These simulated rocks will add a distinctive look to any outdoor landscaping arrangement, while providing outstanding music fidelity. Fully sealed enclosures are designed to provide years of trouble free service, and may be permanently installed and exposed to weather year round. **Features:** •50W RMS power capacity •5¼" injected polypropylene cone woofer •13mm mylar tweeter •75Hz~20KHz frequency response •87dB sensitivity •8ohm impedance •Dimensions: 9.64" x 10.25" x 9.05"

Order #	MSRP	ONLY
50-10530	$59.95	$50.99



6½" Indoor/Outdoor Speaker Pair

Suitable in large scale background music systems, on the patio, by the pool, any place music and paging is required. It is suitable in large scale environments requiring a high number of speakers, as well as crowded environments where higher volume levels are necessary. Additionally, the compact size and tremendous clarity makes these suitable as studio monitors. **Specifications:** •6½" woofers with rubber surround •1" soft dome tweeters •Power capacity: 60W/120W RMS/peak •Sensitivity: 88dB (W/M) •Nominal impedance: 8ohm •Frequency response: 55Hz~20KHz •Transformer taps: 5W, 10W, 20W, 30W, 40W •8ohm bypass •Dimensions: 13" (H) x 8¾" (W) x 7½" (D) •**Sold in pairs**

Order #	Color	Reg.	SALE
50-8885	White	~~$132.00~~	$99.99
50-8886	Black	~~132.00~~	99.99

8" Indoor/Outdoor Speaker Pair

Suitable in large scale background music systems, on the patio, by the pool, any place music and paging is required. It is suitable in demanding environments requiring higher volume levels are necessary and pure sound quality is a must. Additionally, the compact size and tremendous clarity makes these suitable as studio monitors or stage monitors in small venues. **Specifications:** •8" woofers with rubber surround •1" soft dome tweeters •Power capacity: 80W/160W RMS/peak •Sensitivity: 88dB (W/M) •Nominal impedance: 8ohm •Frequency response: 45Hz~20KHz •Transformer taps: 10W, 20W, 30W, 40W, 50W •8ohm bypass •Dimensions: 17" (H) x 11-1/2" (W) x 10" (D) •**Sold in pairs**

Order #	Color	Reg.	SALE
50-8890	White	~~$152.00~~	$119.00
50-8891	Black	~~152.00~~	119.00

Outdoor Volume Control

Specifically designed for outdoor applications, this volume control features a specially designed gasketed PVC enclosure, and is ideally suited for use with landscaping "rock" speaker and other outdoor systems. The housing attaches to standard ¾" PVC conduit for simplified watertight installation. Internal jumpers are provided for x1, x2, x4, x8 and x16 impedance multipliers, allowing compatibility in standard and impedance matched installations. **Features** •Detachable screw terminal strips accept up to 14AWG speaker cable •12 step attenuation •May be anchored by PVC conduit alone or with the four attached wall mount tabs •Gray PVC enclosure with matching knob **Specifications** •Power capacity: 100W RMS •Frequency response: 35Hz~20KHz •Enclosure dimensions: 4¾" (H) x 3" (W) x 3¼" (D)

Order #	MSRP	Reg	SALE
50-7885	$74.95	~~$43.89~~	$34.99

Enclosed 6½" Two-Way Ceiling Speaker

Versatile ceiling speaker is uniquely compatible in high fidelity and commercial sound applications. Two-way coaxial design provides wide frequency response, and a multi-tap transformer allows compatibility with both 8ohm and 70V commercial systems. Fully enclosed, attached metal back-box ensures uniform sound quality, regardless of mounting location, while protecting the speaker from insulation debris and temperature extremes. **Specifications:** •Woofer: 6½" poly cone with foam surround •Tweeter: ¾" mylar dome •Power capacity: 50W/100W RMS/peak •Frequency response: 50Hz~20KHz •SPL: 90dB (W/M) •Transformer taps: 8ohm, 1W, 2W, 4W, 7.5W, 15W (rotary switch) •Overall frame diameter: 8" •Required cutout: 7" •Mounting depth: 4¾" •**Sold individually**

Order #	MSRP	Reg.	SALE
555-9100	$99.95	~~$61.19~~	$44.99

Enclosed 8" Two-Way Ceiling Speaker



Versatile ceiling speaker is uniquely compatible in high fidelity and commercial sound applications. Two-way coaxial design provides wide frequency response, and a multi-tap transformer allows compatibility with both 8ohm and 70V commercial systems. Fully enclosed, attached metal back-box ensures uniform sound quality, regardless of mounting location, while protecting the speaker from insulation debris and temperature extremes. **Specifications:** •Woofer: 8" poly cone with butyl rubber surround •Tweeter: 1" dome •Power capacity: 60W/120W RMS/peak •Frequency response:47Hz~20KHz •SPL: 92dB (W/M) •Transformer taps: 8ohm, 5W, 10W, 20W, 30W, 40W (rotary switch) •Overall frame diameter: 10¾" •Required cutout: 9¼" •Mounting depth: 8" •**Sold individually**

Order #	Reg.	SALE
555-9110	~~$71.39~~	$54.99



5¼" Indoor/Outdoor Speaker Pair

Compact speaker system is suitable in large scale background music systems, on the patio, by the pool, any place music and paging is required. Small size and low cost is especially helpful in environments requiring a large number of speakers. **Specifications:** •5¼" woofers with rubber surround •1" soft dome tweeters •Power capacity: 50W/100W RMS/peak •Sensitivity: 86dB (W/M) •Nominal impedance: 8ohm •Frequency response: 60Hz~20KHz •Transformer taps: 2.5W, 5W, 10W, 20W, 30W •8ohm bypass •Dimensions: 10.75" (H) x 7" (W) x 6" (D) •**Sold in pairs**

Order #	Color	Reg.	SALE
50-8880	White	~~$86.69~~	$69.99
50-8881	Black	~~86.69~~	69.99

Sign up to receive specials and email promotions at MCMelectronics.com/addme

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

MCM CUSTOM AUDIO

MCM Custom Audio and Stellar Labs® set the standard for cost effective sound products.

MCM CUSTOM AUDIO Passive Two-Way ABS PA/DJ Speaker

This rugged speaker is ideal for DJ and stage applications where durability, high power capacity and solid sound performance are required. ABS plastic housing provides durability and an integrated carrying handle. **Features:** •High-quality titanium dome tweeter •Treated cone woofer •1⅜" pole mountable •Twist-lock (Speakon compatible) input and output •Heavy-duty integrated carrying handle **•Sold individually**

Order #	Size	Power Capacity (RMS/Peak)	Frequency Response	Dimensions (H) x (W) x (D)	MSRP	ONLY
555-11600	10"	200W/400W	40Hz~20KHz	20.5" x 13.5" x 12.25"	$149.00	$91.79
555-11601	12"	300W/600W	30Hz~20KHz	24.5" x 17" x 13.4"	159.00	102.00
555-11602	15"	350W/700W	20Hz~20KHz	27.5" x 19" x 15.4"	189.00	142.00

MCM CUSTOM AUDIO Powered ABS PA/DJ Speaker

A terrific solution for a traveling DJ, a karaoke system, or for a permanent installation in a bar, restaurant, bowling alley or club, these powered speakers feature an integrated mixer, durable ABS plastic box, and high-quality treated cone woofers and titanium dome tweeters. **Features:** •XLR or ¼" microphone inputs •Unbalanced RCA or balanced XLR line level inputs •XLR or ¼" line out (for connection of multiple speakers to one source) •Microphone volume adjustment, line level volume adjustment, overall volume adjustment, bass level control and treble level control •1⅜" pole mountable •Heavy-duty integrated carrying handle **•Sold individually**

Order #	Size	Power output (RMS/peak)	Frequency response	Dimensions (H) x (W) x (D)	MSRP	ONLY
555-11605	10"	200W/400W	40Hz~20KHz	20.5" x 13.5" x 12.25"	$229.00	$152.00
555-11606	12"	300W/600W	30Hz~20KHz	24.5" x 17" x 13.4"	259.00	183.00
555-11607	15"	350W/700W	20Hz~20KHz	27.5" x 19" x 15.4"	279.00	203.00

MCM CUSTOM AUDIO Six Input PA Mixer Amplifiers

These amplifiers are suitable for background music and paging use in small, medium or large retail, commercial and industrial environments. Up to three microphones, and three additional line level sources may be simultaneously connected, with all six being mixed together into a single amplifier channel. **Features:** •Three ¼" microphone inputs •Three pairs of RCA style line level inputs •Compatible with 4ohm, 8ohm, 25V and 70V speaker systems •115VAC and 24VDC supply •RCA line level record output •Front panel master volume, bass and treble controls **Specifications:** •Power requirements: 115VAC or 24VDC •Dimensions: 3.5" (H) x 16.75" (W) x 10.8" (D)

Order #	Power Output	MSRP	ONLY
555-4925	60W RMS	$219.00	$183.00
555-4935	120W RMS	269.00	234.00



MCM CUSTOM AUDIO Drop Ceiling Speaker/Baffle Combination

MCM has taken the most popular ceiling speaker features, and put them together in a single, pre-assembled package, thus saving the installation time and money. Increased magnet size and power capacity, combined with six transformer taps from ½W to 10W, enables one package to work in a wide variety of applications. **Features:** •8" dual cone full range speaker •10 oz. magnet •8ohm impedance (with transformer bypassed) •White ceiling baffle •T-bar support **Specifications:** •Power capacity: 10W/20W RMS/program •Frequency response: 50Hz~16.5KHz •Voice coil diameter: 1" •Sensitivity: 86dB (W/M) •Transformer taps: 0.325W, 0.625W, 1.25W, 2.5W, 5W and 10W

Order #	MSRP	(1-3)	(4-up)
555-9018	$49.95	$30.59	$27.03

MCM CUSTOM AUDIO 40 Watt PA Mixer/Amplifier

- ✔*USB/MP3 reader with IR remote control*
- ✔*8Ω and 70V speaker output*
- ✔*120VAC/12VDC operation*

Four input mixer amplifier accepts three microphone and one line level input, delivering 40W RMS to conventional 8Ω speakers, or large scale distributed 70V systems. What sets this apart is built-in USB and SD card readers, which accept standard flash memory and thumb drives, and directly reads MP3 and WMA audio files. Combined with commonly available thumb drives which hold hours of music, this mixer-amplifier becomes a self contained background music system. **MP3 features:** •LCD display of file being played •Pushbutton control for play/pause, stop, repeat, track forward and reverse •IR control of all track functions plus random play **Features:** •Level controls for each input •Master bass and treble controls •Fixed line level record output **Specifications:** •Power output: 40W RMS •Mic inputs: ¼" balanced •Aux input: ¼" unbalanced, line level •Record output: ¼" unbalanced, fixed line level •Speaker outputs: 4Ω, 8Ω, 16Ω and 70V •Power requirements: 110VAC, 60Hz or 12VDC, 7A •Dimensions: 4⅛" (H) x 15" (W) x 10" (D) •Model #USB-80

Order #	MSRP	Reg.	SALE
555-9750	$299.00	~~$234.00~~	$229.00



MCM CUSTOM AUDIO Compact On-Wall Speaker System

Single piece speaker is perfect for general purpose paging and background use. Smooth half-moon shape provides attractive, low profile appearance. Open back enclosure simply hangs on the wall surface, much like a picture. No holes in the wall are needed other than to route the speaker wire. Lightweight construction enable unit to be supported by commonly available drywall anchors. **Features:** •Micro perforated cloth backed metal grill •Dual cone speaker for enhanced high frequency response •70V transformer for use with distributed systems •Speaker is easily bypassed for conventional 8ohm use •Screw terminal strip accepts up to 16AWG wire **Specifications:** •Power capacity: 10W/20W RMS/peak •Frequency response: 80Hz~20KHz •SPL: 88dB (W/M) •Transformer taps: 1.5W, 3W, 6W •Dimensions: 11" (H) x 8⅛" (W) x 3½" **•Sold individually**

Order #	MSRP	(1-3)	(4-9)	(10-up)
555-8575	$29.95	$20.39	$18.35	$17.33

MCM CUSTOM AUDIO Two–Way Drop–Ceiling Speaker

Ideal for background music and paging applications in large scale commercial and office environments, this high-quality two-way speaker even provides performance suitable foreground music use. Ceiling tile design allows fast and easy installation. Just make one simple cut to the ceiling tile and drop into place. **Features:** •8" treated cone woofer with foam surround •¾" silk dome tweeter •One piece assembly for perfect integration into 2' x 4' and 2' x 2' tile ceilings •1' x 2' finely perforated grill covers entire speaker front •Integral tile support rail •Fully enclosed, industrial grade steel construction, suitable for plenum use •Integral electrical box with cover •Seismic attachment point •70V/100V transformer with 8ohm bypass position **Specifications:** •Frequency response: 55Hz~20KHz •SPL: 92dB (W/M) •Magnet weight: 10 oz. •Transformer taps: 0.9W, 1.9W, 3.8W, 7.5W and 15W •Dimensions: 4¾" (H) x 12⅞" (W) x 23¾" (D) **•Sold individually**

Order #	MSRP	Reg.	SALE
555-9120	$119.00	~~$71.39~~	$49.99

MCM CUSTOM AUDIO In–Wall 70V Volume Controls

11-position rotary monaural control provides local volume adjustment in multi speaker applications, where speakers utilize 70V line transformers. **Features:** •Terminal strip accepts up to 14AWG wire •Mounts in a single gang box or low voltage bracket •Variety of power capacities suit a wide range if installations **Specifications:** •Frequency response: 35Hz~20KHz •Attenuation: -34~0dB, in ten steps •Full counterclockwise position is off

Order #	Power Capacity	Color	ONLY
Standard Plate			
555-138	10W	Stainless	$18.39
555-140	35W	Stainless	20.39
555-144	100W	Stainless	25.49
Decora Style			
555-0200	35W	White	20.39
555-0201	35W	Ivory	20.39
555-0202	35W	Almond	20.39

MCMelectronics.com
1-800-543-4330
Enter source code from back cover in web shopping cart to receive sale prices.
Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com
Follow us on: facebook & twitter

Pro Sound

See the new DMX controllable LED Par Can from Stellar Labs®

Portable PA System with USB and Flash Reader

Perfect for presentations, small music venues and lectures, this system consists of a main mixer/amplifier module, and two speakers. Featuring a retractable handle and a set of ruggedwheels, this system folds together offering the ultimate in portability and convenience. Each piece also features a 1⅜" pole mount. **Mixer/amplifier features:** •Internal digital media player •Reads from USB drive or SD flash memory card •Four microphone inputs •Dual cooling fans •Line level input and output •Internal FX processor •Power output: 75W RMS x 2Ch at 8ohms **Speaker features:** •8" •Piezo horn tweeter •Heavy duty ported enclosure •Frequency response: 80Hz~20KHz **Overall dimensions:** •28" x 15" x 11" (H x W x D) **Note:** •¼" speaker cables required (not included)

Order #	MSRP	ONLY
555-11440	$349.99	$295.00

MCM CUSTOM AUDIO High Frequency Tweeter Array

Outstanding high frequency response, wide dispersion and very high immunity to burnout make this an ideal addition to any existing PA speaker system. Six-sided enclosure places six piezoelectric tweeters at five different angles for ultra wide dispersion. Because piezo tweeters have very high impedance at low frequencies, no crossover is required, and they may be connected directly in parallel with the existing speaker system. **Specifications:** •Power capacity: 100W RMS •Frequency response: 1KHz~16KHz •SPL: 89dB •Dimensions: 5.5" (H) x 19.5" (W) x 10" (D) **Inputs:** ¼" input connection as well as binding posts •Mfr. #PT04 •**Sold individually**

Order #	MSRP	ONLY
555-10345	$55.00	$15.29

MCM CUSTOM AUDIO Mid/High Frequency Cabinet

Featuring four piezo horn tweeters and a compression horn, this cabinet delivers outstanding midrange and high frequency response and is an ideal addition to any PA speaker system. **Specifications:** •Power capacity: 300W RMS, 600W peak •Frequency response: 1KHz~20KHz •SPL: 95dB (W/M) •Nominal impedance: 8ohm •Dimensions: 11" (H) x 17" (W) x 13.75" (D)

Order #	MSRP	ONLY
555-10350	$49.99	$30.59

Multi-colored LED Par 56 Can

Turn it up a notch with these long lasting DMX controllable LED par 56 equivalent lighting fixtures. Various patterns can be controlled by the beat of the music playing (adjustable sensitivity) or by manual speed adjustment. In a multi fixture setup, one unit can be used as a four-channel DMX controller, ensuring that each light is in sync. Lights can also be controlled with an external DMX controller. **Features:** •51 red, 50 green and 50 blue LEDs •Auto fade mode •Auto color change mode •Manual color change mode •Settings are adjustable via dipswitches on back of light •3-pin XLR DMX in and out •Manual pattern speed adjustment •Only 20W power consumption •Approximately 50,000 hour bulb life •**Note:** •DMX terminator required at the end of daisy-chained lights (555-11390) •See MCMelectronics.com for more details

Order #	MSRP	ONLY
555-11400	$139.99	$99.99

MCM CUSTOM AUDIO Two-Way PA/DJ Speaker Systems

These rugged carpeted speaker systems are ideal for DJ and stage situations where durability, high power capacity and solid sound performance are required on a tight budget. **Features:** •Piezo horn tweeters •Metal corner protectors •Recessed handles •1⅜" diameter pole mount •Metal grills •Heavy-duty MDF cabinets **Inputs:** ¼" input connections as well as binding posts •**Sold individually**

Order #	Woofer Size	Power capacity (peak)	Frequency Response	SPL	Dimensions (H) x (W) x (D)	MSRP	ONLY
555-10300	8"	300W	35Hz~20KHz	89dB	17.5" x 11.5" x 10"	$69.00	$30.59
555-10305	10"	400W	30Hz~20KHz	90dB	20" x 15" x 12"	89.00	40.79
555-10310	12"	500W	25Hz~20KHz	91dB	23" x 15.5" x 14"	119.00	56.09
555-10315	15"	600W	20Hz~20KHz	92dB	25" x 18" x 16"	139.00	71.39

MCM CUSTOM AUDIO Sound Reinforcement Subwoofers

Ideal for use in a larger scale venue, these subwoofer systems provide high SPL level and low frequency levels. **Features:** •Recessed handles •1⅜" diameter pole mount on top of cabinet •Metal grills •Heavy-duty MDF cabinet **Inputs:** ¼" input connection as well as binding posts •**Sold individually**

Order #	Size	Power capacity (peak)	Frequency Response	MSRP	ONLY
555-10317	12"	600W	25Hz~800Hz	$119.00	$45.89
555-10320	15"	700W	20Hz~500Hz	129.00	61.19
555-10325	18"	1000W	20Hz~500Hz	159.00	102.00

MCM CUSTOM AUDIO Two Way PA/DJ Floor Monitor Speakers

Floor monitor DJ and stage speakers provide versatility and solid sound performance on a tight budget. Angled cabinet places speaker at optimum position for near field monitoring, or stand on end for standard use. **Features:** •Piezo horn tweeters •ABS corner protectors •Recessed handles •Metal grills •Heavy-duty MDF cabinets **Inputs:** ¼" input connections as well as binding posts

Order #	Woofer Size	Power capacity (peak)	Frequency Response	SPL	Dimensions (H) x (W) x (D)	MSRP	ONLY
555-10330	10"	400W	30Hz~20KHz	90dB	13" x 23" x 14"	$99.00	$45.89
555-10335	12"	500W	25Hz~20KHz	91dB	15" x 25" x 15.75"	119.00	56.09
555-10340	15"	600W	20Hz~20KHz	92dB	18.5" x 29.5" x 17"	138.00	71.39

Horizon Music Incorporated Three-Pin DMX Cables

Designed specifically for lighting, DMX cables feature twisted pair data conductors, ensuring accurate, reliable data transfer from a DMX controller, or between multiple lights. These cables are terminated with high quality Neutrik XLR connectors

Order #	Length	ONLY
555-11380	3'	$12.79
555-11381	6'	14.69
555-11382	10'	15.80
555-11383	15'	18.59
555-11384	30'	25.49
555-11385	50'	35.69
555-11386	75'	46.99

Horizon Music Incorporated XLR DMX Adapters

•#555-11395 and 555-11396: Adapt a 5 pin XLR DMX cable to a three pin, or a three pin XLR DMX cable to a 5 pin •#555-11390: Required in any professional lighting application where DMX controls are used, XLR DMX terminators are plugged into the last light in the series

Order #	Description	ONLY
555-11395	Male 3 pin to female 5 pin	$30.59
555-11396	Male 5 pin to female 3 pin	30.59
555-11390	XLR DMX terminator (not shown)	7.09

MCM accepts Visa, Mastercard, Discover, American Express and IMPAC Government Visa.

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Pro Sound

Introducing Stellar Labs® speaker stands and accessories.



Stellar Labs™

Wind-Up Speaker Stand

This heavy-duty speaker stand is designed to support up to 150 lbs. and makes setup easy with it's convenient wind-up hand crank. **Features:**•Easily folds for storage and transportation •Height adjustable from 61"~96" •Approximate 60" overall footprint ensures maximum stability •Integrated measuring tape helps to ensure multiple stands are level with each other

Order #	MSRP	ONLY
555-11655	$119.99	$81.59

Stellar Labs™ NEW!

Adjustable Speaker Pole Kit with Cables

These adjustable speaker poles are a perfect solution for mounting a DJ speaker on the top of a subwoofer, or a variety of custom applications. Convenient kit includes two poles, two 6' high-quality 12AWG ¼" speaker cables and a carrying case. **Features:** •Standard 1⅜" diameter pole mount •Adjustable 32"~54.5" height •Heavy-duty steel construction •Supports up to 75 lbs.

Order #	Description	MSRP	ONLY
555-11675	Kit	$79.99	$40.79
555-11660	Individual pole only	16.99	9.19

Stellar Labs™

PAR Can Lighting Stand

This adjustable height PAR can stand is perfect for any mobile DJ who utilizes lighting effects, and is suitable for up to four PAR 16 through PAR 56 lamps. **Features:** •Adjustable height from 44"~98" •Supports 50 lbs. •Crossbar is 37" wide •Overall weight 10 lbs. •Optional storage bag available (#555-11651) •**Note:** Lights not included (#555-11400)

Order #	MSRP	ONLY
555-11680	$39.99	$25.49

Stellar Labs™

Heavy Duty Presentation Stand

The design of this versatile stand makes it not only terrific for holding sheet music, but holding a laptop or projector for presentation purposes as well. **Features:** •Raised metal lip surrounds the stand for secure placement of laptop or projector •Heavy-duty steel construction •Adjustable from 36"~60" tall •Folds for easy transport and storage •Desk dimensions: 15¾" x 12"

Order #	MSRP	ONLY
555-11690	$49.99	$30.59

Stellar Labs™

Heavy Duty Music Stand

This music stand is constructed for longevity, easy storage and portability. **Features:** •Desk size: 18.5" x 13.5" •2" lower lip •Heavy-duty steel construction •Adjustable from 37"~47" tall •Folds for easy transport and storage

Order #	MSRP	ONLY
555-11700	$44.99	$25.49



Stellar Labs™

XLR Microphone Gooseneck

Ideal for use as a podium microphone stand, or a panel mount microphone stand, these goosenecks feature a male and female XLR connection and are perfect for custom applications.

Order #	Length	Color	MSRP	ONLY
35-2720	12"	Black	$14.99	$8.19
35-2721	12"	Chrome	16.99	8.19
35-2725	16"	Black	14.99	9.19
35-2726	16"	Chrome	16.99	9.19

Stellar Labs™

Tripod Speaker Stand Kit

Supporting up to 80 lbs., this speaker stand kit offers tremendous portability and can be easily stored between gigs. Kit includes two speaker stands, a carrying bag, and two 20' high-quality ¼" 14AWG speaker cables. **Features:** •1⅜" diameter •Lightweight aluminum construction •Safety pin •Height adjustable from 48"~77"

Order #	Description	MSRP	ONLY
555-11670	Speaker stand kit	$109.99	$81.59
555-11650	Single stand only	39.99	30.59
555-11651	Carrying bag only	11.99	7.19

Folding Microphone Stand with Boom Extension

High-quality mic stands are perfect for all stage performance and studio applications. Included 31" counterweighted boom arm is ideal for use with musical instruments. Collapsible tripod legs weigh considerably less and allow more compact transport than conventional solid base stands. •Adjustable height 37"~63" •Overall weight: 6 lbs. •⅜" x 27 thread •Available in black or chrome

Order #	Finish	Reg.	SALE
35-2010	Black	~~$30.59~~	$24.99
35-2011	Chrome	~~30.59~~	24.99

Microphone Stand with Die-Cast Base

High-quality mic stands are perfect for all stage performance and studio applications. Conventional cast iron base holds stand firmly in place. •Adjustable height 33"~61" •Overall weight: 9 lbs. •⅜" x 27 thread •Available in black or chrome

Order #	Finish	Reg.	SALE
35-2005	Black	~~$26.59~~	$19.99
35-2006	Chrome	~~26.59~~	19.99

Spring Clip Mic Holder

Spring loaded mic clip will securely hold a wide variety of microphone sizes from 22mm~38mm (0.87"~1.5") diameter. •⅜" x 27 thread brass insert •Black color

Order #	Reg.	SALE
35-2060	~~$3.39~~	$1.99

Standard Microphone Clip

•Three different sizes hold a variety of microphone types •Each size has a 3mm taper to match common mic shape •⅜" x 27 TPI brass insert •Black color

Order #	Diameter	Reg.	SALE
35-2065	22mm (0.87")	~~$2.59~~	$1.49
35-2070	25mm (1.0")	~~2.59~~	1.49
35-2075	32mm (1.26")	~~2.59~~	1.49



Flexible Microphone Gooseneck Extensions

Use to extend and add flexibility to any mic stand or boom extension. Multiple units may be added together for longer lengths. Ideal for use with flange mount adaptors. •⅜" x 27 threads •Available in black or chrome

Order #	Length	Finish	Reg.	SALE
35-2040	6"	Black	~~$3.09~~	$2.29
35-2041	6"	Chrome	~~3.09~~	2.29
35-2045	13"	Black	~~4.59~~	3.49
35-2046	13"	Chrome	~~4.59~~	3.49
35-2050	19"	Black	~~5.99~~	4.49
35-2051	19"	Chrome	~~5.99~~	4.49

MCMelectronics.com
1-800-543-4330
Enter source code from back cover in web shopping cart to receive sale prices.
Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com
Follow us on: facebook & twitter

Security

Choose from a wide variety of security accessories to make your installation a success.

12VDC High Output Camera Power Supplies

12VDC, UL listed, CCTV distributed power supply designed with individually fused outputs for powering high output CCTV cameras and accessories. Specifications: •Surge protected outputs with individual LED power indication •±10% voltage adjustment for long wire runs •100V~240V operation with appropriate UL or foreign CE power cord •Unique pre-drilled top mounting flange •Power on/off safety switch with LED •5' three conductor US power cord included.

Order #	Outputs	Total Current	Current/ Channel	Reg.	SALE
Dimensions					
82-11309	4	4A	1A	~~$71.39~~	$59.99
8.0" x 9.5" x 3.75"					
82-11310	9	4A	800mA	~~108.00~~	89.99
11.25" x 11.25" x 3.75"					
82-11311	16	8A	1.2A	~~150.00~~	129.99
11.25" x 11.25" x 3.75"					

Digital Keypad

Digital keypad with built-in 5A relay for door strikes and other security and access control systems. Includes over 100 million codes, four levels of user coding, duress output, egress input, three LEDs, built-in buzzer and EEPROM memory.

Order #	Keypad	Outputs	Codes	Active Keypad	Reg.	SALE
82-2565	Standard	1	100	No	~~$54.09~~	$47.99
82-12710	Back-lit	3	120	Yes	~~71.39~~	59.99

ELK Compact Relay

The ELK-912 is a high quality 12VDC relay. It features SPDT form "C" heavy-duty dry contacts, low current draw, and positive or negative activation. All units are conviently packed in a reusable poly storage box. **Specifications:** Operating voltage: 12VDC nom. Current draw: 30 milliamps. Minimum pull-in voltage: 9VDC. Diode protection across relay coil. Contact ratings: 7A @ 30VDC, 10A @ 125VAC. Size: 1.1" (W) x 1.55" (H) (28mm x 39mm).

Order # 82-2175 — **Reg.** ~~$12.79~~ — **SALE** $9.99

ELK 30 Watt Sirens

The ELK-SS30 is a dual tone indoor/outdoor siren, 6~12VDC, 1.1Ah, 120dB. Dimensions: 6" (W) x 8" (H) x 9.5" (D). Mfr. #ELK-SS30.

Order # 82-3780 — **Reg.** ~~$18.39~~ — **SALE** $14.99

ELK Rechargable, Sealed Lead Acid Batteries

ELK sealed lead acid batteries are maintenance free, long life, back-up batteries specially conditioned for alarm applications. Maximum charging current is nominal capacity times 0.3. Connections via .187" disconnect except #82-4765 which is bolt and nut.

Order #	Mfr. #	Capacity	Dimensions (L) x (W) x (H)	Reg.	SALE
6 Volt					
82-4740	ELK-0650	5.0Ah	2.8" x 1.8" x 4.0"	~~$12.79~~	$11.99
12 Volt					
82-4745	ELK-1213	1.3Ah	3.8" x 1.7" x 2.0"	~~17.39~~	14.99
82-4750	ELK-1250	5.0Ah	2.75" x 2.75" x 4"	~~22.49~~	19.99
82-4755	ELK-1280	8.0Ah	6.0" x 2.5" x 3.75"	~~32.69~~	29.99
82-4760	ELK-12120	12Ah	6.0" x 4.0" x 3.75"	~~50.99~~	49.99
82-4765	ELK-12180	17Ah	7.2" x 3.0" x 6.5"	~~71.39~~	59.99

Stellar Labs™ Video Ground Loop Isolator

Specifications: •Insertion loss: <0.5db •Frequency response: 0~3db @ 10MHz •Input/output resistance: 75ohm •Built-in 600VDC transient voltage surge suppression (12V RMS) •No power required (passive).

Order # 82-6131 — **MSRP** $59.95 — **Reg.** ~~$25.49~~ — **SALE** $19.99

Portable 12VDC Power Supply

Perfect solution for temporary 12VDC camera power during CCTV camera field focusing and site survey. Four-hour continuous operation using eight "AA" batteries (batteries not included; use #29-4275) and standard 130mA; 12VDC camera. 3' DC pigtail lead with snap connector mates with matching polarity battery holder snap terminals.

Order # 82-12365 — **Reg.** ~~$5.09~~ — **SALE** $3.99

Alarm Controls Corporation Alarm Control Panel with Entry/ Exit Delay



•Adjustable entry/ exit delay •Fail safe arming •Bell cut-off auto restore •24 hour latching panic circuit •Four wire remotes •Built-in battery charger •Built-in pulse stretcher •Delay loop back-up circuit •Regulated voltage output •Dry contacts rated 5A •Remote instant/ delay switch •Full static and lightning protection **Specifications:** •Power input: 12VAC, class 2, plug-in transformer (not supplied) •Mfr. #6131

Order # 82-095 — **Reg.** ~~$125.00~~ — **SALE** $109.00

NEW! Defender Security CCTV TesterPro

An indispensible tool for any installer, the TesterPro from Defender allows connection to any analog camera for alignment purposes, set-up of PTZ settings, testing of Cat 5 cables and troubleshooting signal problems, all in one, easy-to-use product. **Features:** •3.5" LCD with 960 x 240 resolution •Video signal level meter •PTZ camera controls •Unique 12VDC 1A power output to power camera with 3' pigtail •RS-485/RS-422 input and data logging •Network cable tester •RS-232 input •3.5mm audio input •Built-in speaker •Color bar signal generator •Up to 12 hour battery life •4 hour recharge time •BNC input with 3' M-to-M BNC pigtail •5VDC 2A AC adapter powers and charges tester •Li-ion 3.7V 3000mAh rechargeable battery •Carrying case included •Supports many popular PTZ protocols including Pelco D, Pelco P, Sanyo and Panasonic •See MCMelectronics.com for full list

Order #	Description	MSRP	ONLY
82-12845	Tester	$599.00	$359.00
82-12846	Replacement battery	49.99	25.49

Defender Security Outdoor Camera Enclosure Kit

Outdoor aluminum camera housing and mount features a front-hinged lid, glass window lens, lockable clasp to secure the lid, baked enamel finish, one moisture resistant cable gland, and an adjustable mounting bracket. Inside dimensions: 12½" (L) x 5" (W) x 4" (H). Power: 24VAC

Order #	Description	MSRP	Reg.	SALE
82-12385	Housing and mount only	$69.95	~~$31.69~~	$27.99
82-12386	Housing and mount w/ 24VAC heater and blower	89.95	~~41.89~~	37.99

Universal Camera Mount with Ceiling Clip

•12 possible combinations •1" mounting head adjustable up to 180° •2" drop ceiling "X" clip •2⅜" free-standing/wall mount base •Two 2" long shafts •One 1" shaft •¼"/20 threads throughout •All parts interchangeable

Order #	Color	Reg.	SALE
82-11335	Black	~~$10.19~~	$6.99
82-11336	White	~~10.19~~	6.99

Flush Mount Two Tone Siren

High quality flush mount alarm siren for ceiling or wall mount. Two tone, steady and yelp modes. Operates on 6~12VDC, 350mA. Output 100dB. Includes mounting hardware. 6¼" (W) x 5" (H) x 1½" (D).

Order # 82-380 — **Reg.** ~~$19.89~~ — **SALE** $7.99

Need large quantities? Call and ask for our quotes team or request a quote at MCMelectronics.com/quotes

DEFENDER SECURITY™

Choose from a wide selection of your favorite brand name CCTV DVRs.

Four Channel H.264 DVR System

All-in-one state-of-the-art surveillance solution for home or business. Includes multi-plex DVR with H.264 compression and 250Gb SATA hard drive, VGA and BNC video outputs, USB back-up (viewer software included) and IR remote control. Also included are two 350TVL indoor dome cameras, and two 420TVL outdoor IR (day/night) bullet cameras. This kit features a unique power distribution adapter for connecting each of the supplied video/power cables to a single power source outlet

Order #	Reg.	SALE
82-12945	~~$560.00~~	$499.00

Eight Channel Triplex Networkable DVR

Ideal for residential and business recording surveillance. **Features:** •Triplex functionality (record, playback and monitor simultaneously) •240fps display and 30fps per camera facilitates continuous, time scheduled, or motion recording •Remote viewing of live and recorded footage via internet •Enhanced MJPEG recording compression; MPEG4 network streaming •USB back-up •Dual SATA drive bays (one bay is removable; hard drive not included; supports up to 500Gb HDDs; up to ten days continuous recording on 500Gb HDD) •Video loss alarm function •Alarm and PTZ (RS485) input/output terminals • Four BNC camera inputs •Two BNC video outputs •One RCA audio input •One RCA audio output • Easy-to-use front panel controls, or by IR remote control (remote included) •Power: 12VDC; 5.0A power adapter (included)

Order #	MSRP	Reg	SALE
82-12890	$499.00	~~$356.00~~	$309.00

Four Channel Duplex DVR/ LCD Monitor Combo

Featuring motion detection and MJPEG compression, this compact, space-saving four-camera duplex DVR is integrated into a 10.2" LCD. Ideal for the home, or small office/business, the unit has a single drive bay for SATA hard drives up to 1.0Tb (HDD not included) and frame rates up to 30fps per camera (60fps total) and continuous, time scheduled, or motion recording for each camera. PC software (included) facilitates USB video back-up. **Features:** •MJPEG compression •Four BNC camera inputs •One BNC video output •Two RCA audio inputs •One RCA audio output •Mouse control and remote control •Alarm sensor and PTZ input terminal • Easy-to-use OSD menu front panel controls, or by either IR remote control or mouse control (both included) •Power: 12VDC; 2.5A power adapter (included)

Order #	MSRP	Reg.	SALE
82-12895	$399.00	~~$305.00~~	$269.00

High Resolution Color Day/Night Camera with Integrated Varifocal Lens

Ultra high resolution color camera features a Sony Super-HAD ½" CCD image sensor and built-in adjustable 3.8~9.5mm varifocal lens. The 0.5 lux low light sensitivity is ideal for night time applications. **Specifications:** •550TVL resolution •On-board OSD control •BLC, AWG, AGC •Mechanical auto iris and cut filter with CDS day/night sensor •Power: 12VDC, 300mA **Note:** Adapter not included (#82-3950) Output: 1V p-p, 75ohm (BNC)

Order #	MSRP	Reg.	SALE
82-12355	$299.00	~~$215.00~~	$199.00

Panasonic High Resolution Color Day/Night Camera

✔*Dual voltage*
✔*DSP improves image quality*

The WV-CP284 Series color camera is equipped with a newly-developed DSP, providing improved image quality. Utilizing the first Adaptive Black Stretch technology in the industry, the DSP uses image processing to transform dark areas into natural, high contrast images in real time, while keeping crisp areas unchanged. •540 lines of horizontal resolution •Minimum illumination of .8 lux •24VAC, 60Hz or 12VDC **Note**: Lens not included

Order #	Reg.	SALE
WV-CP284	~~$194.00~~	$189.00

NEW!

30/960HR Security Time Lapse VCR

Record up to 960 hours of time lapse video or 30 hours of real time video with one T-120 standard VHS tape. **Features:** •Jog dial for frame-by-frame playback •Shuttle ring for variable speed fast-forward and rewind •4-head azimuth helical scanning •Up to 30 hours linear audio recording •Built-in time/date generator •Alarm in/out, alarm reset, series in/out, trigger out, warning out, and low tape out •Alarm recording function •Timer recording function •BNC input and output •RCA audio input and output •Infrared remote control

Order #	MSRP	ONLY
82-10761	$279.00	$214.00

Varifocal Lenses

✔*Focal lengths up to 60mm*
✔*DC, manual and video iris*

All lenses are CS mount and are ideal for ⅓" image format CCDs. They are available in manual, DC and video auto-iris. The recommended minimum object distance is greater than 8"

Fig.	Order #	Focal length (mm)	Aperture (F)	Viewing Angle	MSRP	Reg.	SALE
A	**Manual iris**						
	82-10255	2.8~12	1.4	110°~28°	$62.95	~~$54.00~~	$39.99
	82-10265	6~15	1.6	52°~23°	54.95	~~48.99~~	32.99
	82-10270	12.0~30	1.6	28°~12°	57.95	~~50.99~~	39.99
	82-10275	6~60	1.6	52°~6°	139.00	~~112.00~~	99.99
B	**DC auto-iris**						
	82-10280	2.8~12	1.4	110°~28°	89.95	~~81.59~~	59.99
	82-10285	12.0~30	1.6	28°~12°	89.95	~~81.59~~	59.99
	82-10290	6~60	1.6	52°~6°	189.00	~~149.00~~	99.99
C	**Video auto-iris**						
	82-10295	2.8~12	1.4	110°~28°	57.95	–	36.79

Color Quad Processor

High resolution color quad processor allows viewing of up to four cameras simultaneously. Two viewing modes, quad and sequential with three second dwell time. Adjustable gain control for each camera input. **Specifications:** Power: 12VDC, 500mA. Video: 1V p-p, 75ohm

Order #	MSRP	Reg.	SALE
82-7860	$259.00	~~$181.00~~	$139.00

Pan/Tilt Camera Mounts

Indoor and outdoor pan-only, and pan/tilt mounts commonly used for mounting cameras and housings that require remote control maneuverability. **Specification:** •Travel (Pan) bi-directional auto scan with two adjustable positive stops to change direction •Manually adjustable tilt angle •Pan speed: 5°/sec •Construction: ABS/aluminum **Note:** Outdoor P/T mount is water resistant

Fig.	Order #	Description	Pan	Tilt	Max Load	MSRP	Reg.	SALE
A	82-12425	Indoor pan-only mount	350°	90°	11 lbs.	$49.95	~~$16.39~~	$12.99
B	82-12435	Indoor pan/tilt mount	350°	50°	22 lbs.	69.95	~~37.79~~	32.99
C	82-12440	Outdoor pan/tilt mount	350°	50°	22 lbs.	129.00	~~72.49~~	59.99
D	82-12445	Controller for pan, or P/T	-	-	-	49.95	~~30.59~~	24.99

MCMelectronics.com
1-800-543-4330
Enter source code from back cover in web shopping cart to receive sale prices.
Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com
Follow us on: facebook & twitter

DEFENDER SECURITY™

Lower your installation cost by using strategically positioned dummy cameras.

DEFENDER SECURITY™ Dummy Cameras

NEW!

Take advantage of economical dummy cameras when budgeting for your next CCTV installation. Featuring realistic designs and rugged ABS construction, these dummy cameras make it nearly impossible to detect they are not real!

Fig.	Order #	Type	Flashing LED	MSRP	Reg.	SALE
A	**82-12955**	Box camera	Yes	$19.99	~~$13.29~~	**$9.99**
B	**82-12956**	IR bullet camera	Yes	19.99	~~13.29~~	**9.99**
C	**82-12958**	Dome camera	No	14.99	~~9.19~~	**7.99**

DEFENDER SECURITY™ Outdoor Dummy Camera Housings

Lower your installation cost without sacrificing the deterrence achieved from strategically positioned dummy housings. A great way to economically enhance your loss prevention efforts, these rugged all-metal housings and mounts feature realistic on-board cameras with flashing LEDs to simulate the appearance of live video surveillance.

Fig.	Order #	MSRP	Reg.	SALE
A	**82-12957**	$29.99	~~$20.39~~	**$17.99**
B	**82-12960**	59.99	~~40.79~~	**37.99**

DEFENDER SECURITY™ Wireless Outdoor Day/Night Bullet Camera Kit

Versatile and expandable this 2.4GHz wireless kit is easy to install in the home, office or retail setting and features an open-air transmission distance of about 300'. **Specifications camera:** •¼" CCD sensor •420TVL resolution •Waterproof IP66 rating •26 LEDs •35' night time viewing range •Built-in audio •Power: 12VDC, 350mA. **Receiver:** •2.4GHz frequency •Four-channel auto-switching •Normal and loop-through video switch •Power: 8VDC, 190mA •Kit includes: Camera (#82-12861) with mount, mounting hardware and built-in microphone, a four channel receiver, two power adapters, and a 3' A/V cable (RCA)

Order #	Description	MSRP	Reg.	SALE
82-12860	Wireless camera kit	$149.00	~~$112.00~~	**$109.00**
82-12861	CCD D/N camera	109.00	~~81.59~~	**79.95**
82-12862	CMOS D/N camera	99.95	~~61.19~~	**59.95**

DEFENDER SECURITY™ CMOS Mini Color Cameras

Terrific solution for covert security, these miniature cameras are ideal for indoor surveillance applications. **Features:** •⅓" OmniVision CMOS image sensor •380TVL resolution •Viewing angle: 45° •Built-in microphone •Versatile mounting options •6.9mm lens •3.0 lux •#82-13296 features 6 IR LEDs for night vision up to 10' **Power:** •12VDC, 500mA •Adapter not included (#82-3950) **Output:** •Video: 1V p-p, 75ohm (RCA) •Audio: Mono RCA



NEW!

Fig.	Order #	MSRP	ONLY
A	**82-13295**	$39.99	**$25.49**
B	**82-13296**	59.99	**35.69**
C	**82-13297**	39.99	**25.49**

Swann RedAlert™ DVR and Wireless Camera

This basic digital recording device uses a SD card to capture motion activated AVI video, or JPEG images. **Specifications recorder:** •SD memory card up to 2.0Gb size (128Mb SD card included) •16Mb internal flash memory •Store up to 28,000 images or 4,380 ten second AVI files (2Gb size) •Conveniently select one wireless and wired camera (2 channel input; only records one channel at a time) •RCA video output to TV/monitor •PIP (picture in picture) feature. **Camera:** •11 IR LEDs for night vision •4 channel switchable •Signal range of 300' (unobstructed) •Weather-resistant housing allows for outdoor or indoor use •Mfr. #SW244-WDW

Order # 82-12545 **Reg.** ~~$203.00~~ **SALE** $189.00

NEW!

Weatherproof Color Day/Night Bullet Camera Kits

Get everything you need for your CCTV camera installation with these bundle packs from MCM. Just add a DVR, and you are ready to record.**Specifications:** •¼" Sony SuperHAD CCD image sensor •420TVL resolution •Fixed 3.6mm lens •Rugged aluminum housing •Outdoor rated •1.0 lux (0.0 with IR) •Up to 20' night time IR range with 12 IR LEDs **Power:** •12VDC, 120mA **Includes:** •2A power supply (#82-13205), 3A power supply (#82-13210) with power pigtails for each camera •60' power and video cables

Order #	Cameras included	ONLY
82-13205	4	**$203.00**
82-13210	8	**407.00**



Color Day/Night Bullet Camera and Mounting Bracket

✔*90' night-time illumination*
✔*Varifocal lens*

Color day/night bullet cameras feature a ⅓" Sony Super HAD CCD image sensor and DSP circuit for improved image quality. The 3.5~8.0mm varifocal lens is externally adjustable on the back of the housing. A versatile IP66 waterproof rated aluminum housing with sunshield incorporates standard ¼" - 20 threads on both bottom and back for easy mounting. Easy-mount bracket conceals cabling. **Specifications:** •3.5~8.0mm varifocal lens •42 IR LEDs •Approximate 90' illumination range •.5 lux min/0.0 with IR LEDs •Electronic shutter •Automatic white balance **Power:** 12VDC, 500mA (IR on). **Note:** Adapter not included (#82-3950). **Output:** 1V p-p, 75ohm (BNC)

Order #	Resolution	MSRP	Reg.	SALE
82-12405	420TVL	$189.00	~~$102.00~~	**$89.00**
82-12410	520TVL	209.00	~~152.00~~	**139.00**

DEFENDER SECURITY™ Weatherproof High Resolution Long-Range Color Day/Night IR Camera

✔*200' night-time illumination*
✔*16mm lens*

Heavy-duty day/night camera features 12 high power LEDs that illuminate up to 200' in total darkness. The Sony ⅓" Super-HAD CCD image sensor features a DSP sensor for picture clarity. **Specifications:** •480TVL resolution •Fixed 16mm lens •1.0 lux (0.0 lux with 12 high power IR LEDs on) •200' night time IR range •Rugged aluminum housing •AGC, AWB •Electronic shutter **Power:** 12VDC, 800mA (IR on). **Note:** Adapter not included (use #82-11321). **Output:** 1V p-p, 75ohm (BNC)

Order #	Description	MSRP	Reg.	SALE
82-12415	Long-range camera	$249.00	~~$163.00~~	**$139.00**
82-12416	Mounting bracket	-	~~14.29~~	**9.99**

DEFENDER SECURITY™ Color Day/Night Vandal Resistant Ball Camera with IR LEDs



⅓" Sony Super HAD CCD features night time infrared illumination, vandal resistant aluminum construction and versatile waterproof IP66 rated ceiling or wall mount ball-turret design. DSP circuit for improved image quality. **Specifications:** •Electronic shutter •Automatic white balance **Power:** 12VDC, 300mA (#82-11350 and 82-13185); 500mA (#82-12400). **Note:** Adapter not included (#82-3950). **Output:** 1V p-p, 75ohm (BNC)

Order # Resolution	LEDs	IR Range	Lens	MSRP	Reg.	SALE
82-11350 420TVL	24	45'	6.0mm	$169.00	~~$70.89~~	**$57.99**
82-13185 420TVL	42	45'	3.6mm	169.00	~~61.19~~	**57.99**
82-12400 480TVL	42	90'	3.5~8mm	199.00	~~122.00~~	**99.99**

SATV/CATV

MCM has the solutions for your digital television reception.

MCM HDTV Indoor Amplified Antenna

Ideally suited for indoor HDTV (UHF) off-air reception, this antenna features a low-profile boom design, rotational elements for improved directional gain, and a 7~13dB adjustable gain control (power adapter included)

Order # 30-2100 **Reg.** ~~$19.99~~ **SALE** $14.99

Stellar Labs™ UHF/VHF/HDTV Indoor Antenna

•An amplified UHF/VHF antenna that will receive all FM, DTV, and HDTV signals •Adjustable amplifier for better control on reception gain •"F" type input for connecting external antenna, VCR, cable, or other source, or used stand-alone •Great for areas where an outdoor antenna is required for some stations, but nearby stations that are too strong require an indoor antenna •Frequency range: 40~860MHz •Max noise: 6dB •Max amplification: 28dB •Power source: 120VAC or optional 12VDC

Order # 30-2160 **MSRP** $24.95 **ONLY** $14.99



Stellar Labs™ UHF/HDTV Outdoor Antenna

•Directional outdoor antenna is optimized to pick up UHF signals for digital television and high-definition television broadcasts •Frequency range: 460~862MHz •30 elements •75ohm "F" type connection •20dB •Up to 50 mile range

Order # 30-2155 **MSRP** $39.95 **ONLY** $19.99

Slim Indoor Antenna

•Slim antenna sets on or near your TV with a stable flip-out stand •Efficient, directional design with ultra-low noise amplifier maximizes digital reception •20dB gain •Noise (max): <4 dB **Includes:** •Antenna •6' coax cable •9VDC power adapter

Order # 30-2210 **ONLY** $19.99

FM Dipole Antennas

These high-quality FM dipole antennas can be used for many newer FM tuners and receivers. Available in three configurations: 300ohm spade terminals, 75ohm male "F" connector and 75ohm female PAL connector. These antennas are constructed from high-quality 300ohm twin–lead and perform significantly better than the OEM supplied straight wire or a split two conductor antennas providing highe-quality FM reception

Order #	Description	Reg.	SALE
30-1530	Male "F" connector	~~$2.29~~	$1.99
30-1535	Female PAL connector	~~2.09~~	1.99
30-110	Spade terminals	~~2.39~~	1.99

Compact HDTV Antenna

•Extremely low profile design can be mounted indoors or outdoors •Extremely low noise amplifier is designed for the latest digital and high-definition television reception •20dB gain •UV resistant case **Includes:** •Antenna •Flexible arm mounting base •Power inserter •AC adapter •Coax cable •Mounting hardware

Order # 30-2205 **ONLY** $24.99

Economical Antenna Rotator

Our economical antenna rotator helps improve TV and FM reception. Two piece connects via three wire rotator cable. Adjustable clamp accommodates mast up to 1½"

Order # 30-1100 **Reg.** ~~$59.99~~ **SALE** $49.99



J-Pipe Mount

•Versatile all-in-one mount that can be used with antennas or satellite dishes •Can be mounted on the roof, wall, chimney or any other flat surface •J-pipe is reversible from mounting foot for a variety of positioning options •Gray weatherproof coating •38" mast height •1⅝" mast diameter

Order # 33-10915 **Reg.** ~~$12.99~~ **SALE** $9.99

In-Line Surge Protector

Protect your cable modem, tuner, convertor, decoder, and satellite receiver from power surges and spikes caused by lightning strikes. Plugs directly into coax line. **Specifications:** •Frequency range: 5~2,400MHz •Insertion loss: 1.5dB max •Max surge current: 5000A

Order # 33-10400 **Reg.** ~~$6.99~~ **SALE** $4.99

Diplexer

•Combines off-air signals with a satellite drop •Power passive one port •40~860MHz/ 950~2250MHz •Includes grounding screw

Order # 33-10975 **MSRP** $4.99 **ONLY** $1.49

In-Line Amplifier

•In-line amplifier for satellite cable runs greater than 100' •20dB max slope gain •For 900~2150MHz

Order # 33-10970 **MSRP** $5.99 **ONLY** $2.99

Single

Dual

Flex Cable Clips

•Remarkably strong flexible clips grab cables without damaging them •Integrated Philips hex-head screws make installation quick and easy •100 clips per package

Order #	Description	ONLY
33-10860	Single, white	$2.99
33-10862	Dual, white	2.99
33-10864	Single, black	2.99
33-10866	Dual, black	2.99

Digital TV/HDTV ATSC Off-Air Tuner

Ideal solution for receiving terrestrial, off-air (antenna) digital TV broadcasts from the constantly increasing number of off-air digital TV broadcasters (e.g., local stations, PBS, etc). **Features:** •ATSC receiver capable of outputting composite, or component (Y.Pb.Pr) video •Stereo audio output •Parental control-movie/TV rating (V-chip) •Fully functional infrared remote controller •Selectable SDTV/ HDTV output/input resolution (480i/480p/720p/1080i) •Standard definition NTSC 480i output •Aspect ratio control; 4:3 and 16:9 •Advanced Electronic Program Guide (EPG)

Order # 33-10413 **ONLY** $169.00

MCMelectronics.com
1-800-543-4330
Enter source code from back cover in web shopping cart to receive sale prices.
Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com
Follow us on: facebook & twitter

SAT/CATV

Find all of your A/V distribution needs in one place.



Stellar Labs™

HDMI Scaling Media Center

•This six-input media center switch allows you to scale all source inputs to 1080p and send them over a single HDMI cable to your display •Perfect solution for utilizing older A/V equipment or PCs with new high-definition displays •Switch among six sources: Two HDMI, two analog (composite, S-video, or component), and two VGA **Specifications:** •HDMI v1.3, HDCP (Input pixel clock rate: 25MHz~225MHz) •Supports video up scaling to 1080p (pixel clock rate: 25MHz~165MHz) •3D Y/C separation comb-filter •Aspect ratio: 4:3 or 16:9 •10 bits video processor for analog to digital conversion •IR remote control and manual control •Dimensions: 13⅜" x 6¾" x 1⅝" •5VDC, 4A power supply (included)

Order #	MSRP	ONLY
33-10800	$429.00	$199.00

HDMI 1.3 Input Switch

•Easily switch between multiple HDMI sources while running a single HDMI cable to your high-definition display •Extends the range of HDMI compliant device by equalizing HDMI signal •Included discrete IR remote (not included with #33-10532) •Auto sensing inputs allow switching between only active HDMI sources **Specifications:** •Output video: HDMI 1.3b + HDCP 1.0/1.1 •Video formats supported: Up to VGA 920 x 1200 and HD 1080P •Video amplifier bandwidth: 2.5Gpbs/250MHz •External power supply (included): 2A 5VDC for 110V (neither included nor required for #33-10532)

Order #	Description	MSRP	Reg.	SALE
33-10532	2 x 1	$59.95	~~$24.99~~	$19.99
33-10533	3 x 1	79.95	~~31.99~~	29.99
33-10535	5 x 1	109.00	~~49.99~~	44.99

HDMI Distribution Amplifiers

Split one HDMI source to distribute to multiple high-definition displays. Ideal for retail displays, entertainment venues, and multiple residential displays. Extends the range of HDMI compliant device by equalizing and boosting the HDMI signal up to an additional 50'. **Specifications:** •Input/output: HDMI v1.2a+, HDCP 1.0/1.1 •Video formats supported: VGA 1920 x 1200 and 1080p •Operating frequency: Up to 165MHz •External power supply (included): 5VDC for 110V

Dimensions (L x W x H) with feet Order #	Description	MSRP	Reg.	SALE
3.4" x 1.73" x .66" 33-10540	1 x 2	$179.00	~~$54.99~~	$39.99
10.625" x 7.18" x 1.83" 33-10542	1 x 4	249.00	~~119.00~~	99.99
17.323" x 7.893" x 1.748" 33-10545	1 x 8	399.00	~~249.00~~	209.00

Ground Isolation Transformer

5MHz~2.4GHz bandwidth for use in antenna, cable television and satellite systems. Reduces the effects of ground loops such as herringbone, beat and audio hum

Order #	Reg.	SALE
33-8700	~~$19.99~~	$9.99

Stellar Labs™

SLV A/V RF Modulator

✔*Accepts composite video/line level audio source*
✔*Selectable output on CH3 or CH4*
✔*Auto switching between antenna and A/V source*

The mini RF modulator is a compact, inexpensive modulator that will convert any composite video source to VHF for viewing on your TV on either channel 3 or 4. Its low signal loss enables it to deliver excellent picture and sound quality. This modulator allows you to connect additional A/V components, such as a DVD player or a gaming system, to your TV when there are no available RCA jacks. **Inputs:** Three RCA (composite video and stereo audio), one "F"

Order #	MSRP	Reg.	SALE
33-9775	$19.99	~~$12.99~~	$9.99

Stellar Labs™

Composite/S-Video to HDMI Scaler

•Use your composite and S-video equipment with HDMI televisions, switches, receivers and more •Basic upscaling to 720P at 60MHz •Syncs audio and video channels •Works with any HDMI to DVI adapter •Dimensions: 6.1" x 2.75" x 0.90" •Includes 5V, 2A power supply

Order #	MSRP	ONLY
33-10720	$179.00	$59.99

MCM

Composite Video to S-Video Adapter

This high-quality adapter converts composite video to S–video and S–video to composite video. The adapter measures only 1¼" long and ½" in diameter allowing it to plug directly into the equipment and solves the problems associated with mixing composite and S–video inputs and outputs

Order #	Description	Reg.	ONLY
33-0001	S male to RCA female	~~$7.89~~	$4.99
33-0002	S female to RCA female	~~6.39~~	4.99
33-0003	S female to RCA male	~~6.59~~	4.99

HDMI 4 x 2 Matrix Switch

Easily switch between four HDMI sources to two high-definition displays. Extends the range of HDMI compliant devices by equalizing and re-clocking the HDMI signal. Included discrete IR remote control allows user to switch sources from across the room. **Specifications:** •Input/output: HDMI v1.3, HDCP 1.0/1.1 •Video formats supported: Up to computer 1600 x 1200 and HD 1080p •Video amplifier bandwidth: 1.65Gpbs •Power consumption: 20W (max) •External power supply (included): 5VDC for 110V •Dimensions: 4½" (L) x 1⅛" (H, with feet) x 10⅛" (W)

Order #	MSRP	Reg.	SALE
33-10525	$399.00	~~$119.00~~	$99.99



RF Splitters

•75ohm splitters for use with cable, antenna, satellite, broadband, and other RF distributions •High frequencies available for use with digital satellite and broadband systems •All ports power passing

Order #	Outputs	Frequency Range	ONLY
33-10955	2	5~1000MHz	$0.79
33-10956	3	5~1000MHz	0.89
33-10957	4	5~1000MHz	0.99
33-10960	2	5~2300MHz	1.49
33-10961	3	5~2300MHz	1.99
33-10962	4	5~2300MHz	2.49

Stellar Labs™

Video Ground Loop Isolator

Ground loops Ground loops in composite video systems can cause video distortions such as herringbone and AC beat. Uniquely designed to eliminate ground loop related distortions, this transformer features RCA female-to-female connectors with a separate 9' RCA male-to-male pigtail cable that facilitates multiple installation configurations and helps reduce cable connector strain. **Specifications:** •Insertion loss: <0.5db •Frequency response: 0~3db @ 10MHz •Input/output resistance: 75ohm •Built-in 600VDC transient voltage surge suppression (12V RMS) •No power required (passive)

Order #	MSRP	Reg.	SALE
33-6927	$59.95	~~$29.99~~	$14.99

MCM

Audio/Video Selector

•Perfect for the entertainment center •Combines four different video devices (VCR, laser disc player, etc.) into one output •Compatible with both mono and stereo devices •Four audio/video inputs, one audio/ video output •20Hz~10MHz frequency range •Isolation 30dB minimum

Order #	Reg.	SALE
32-4420	~~$20.39~~	$14.99

Power Products

Control energy vampires with smart outlet surge strips from Stellar Labs® Power.

Stellar Labs™ Power+

Four Outlet Power Save Surge Protector

✔*2160 joules*
✔*Smart outlets*
✔*Coax protection*
✔*RJ-11 or RJ-45 protection*

Featuring two "Power Save" outlets that only provide power when the "Master" device is on, this wall mounted surge protector can help reduce your electricity bill and protect the environment. **Specifications:** •One always on outlet •2160 joules •LED status indicators •RJ-11/45 surge protection •2.4GHz coax protection **Includes:** •6' RG-59 coaxial cable •6' Cat 5 cable •6' RJ-11 telephone cable

Order #	MSRP	Reg.	SALE
28-11107	$29.95	~~$18.39~~	$17.99

Stellar Labs™ Power+

Compact Three Outlet Surge Protector

✔*1080 joules*
✔*2.4GHz coax protection*

Compact size and coaxial line protection make this a perfect surge protection solution for a wall mounted television. **Specifications:** •EMI/RFI filtration •Two fixed outlets, one rotating outlet •Rotating coaxial input and output •1080 joules •LED protection status light •6' coaxial cable included

Order #	Reg.	SALE
28-11106	~~$9.19~~	$7.99

Stellar Labs™ Power+ "Green Power"

Smart Home Theater Surge Protector

It is estimated that seven percent of the world's electricity usage is consumed by electronics in standby mode. The five "Green Power" outlets on this surge protector monitor power usage, and when consumption drops 70% from peak for 3 minutes, the outlets automatically switch off, saving you money and reducing harmful carbon emissions. Three "Always On" outlets are included for your CATV box, DVR, or any other device that needs to always be on. **Specifications:** •"Green Power" outlets switch on when IR signal is detected •LED current meter •4320 joules •LED status indicators •Dual 2.4GHz coax protection •RJ-11/45 surge protection •8' 14AWG power cord •Piano black finish **Includes:** •Two coaxial cables •Cat 5 cable •RJ-11 telephone cable •Owners manual

Order #	MSRP	Reg.	SALE
28-11109	$59.95	~~$40.79~~	$36.99

Stellar Labs™

Desktop Surge Protector with USB Hub

A perfect desktop power solution, the "Desktop Corner Power" unit provides three surge protected AC power outlets as well as a four-port USB hub. A perfect solution for plugging in your computer speakers, monitor, and printer, an on/off rocker switch provides a convenient and easy way to go green by saving electricity used by electronics typically left in standby mode. **Specifications:** •Two rotating outlets, one fixed outlet •Four port USB hub •1080 joules •6' rotating 14AWG power cord •EMI/RFI noise filtration •RJ-11/45 surge protection •Rocker switch •LED status indicators (grounded, protected) **Includes:** •6' USB cord •6' Cat 5 cable

Order #	MSRP	Reg.	SALE
28-11110	$49.95	~~$25.49~~	$22.99



Stellar Labs™

Mobile Device Charging Station

With four AC adapter spaced outlets, and two USB charging outputs, this six device charger station is perfect for organizing and charging your MP3 player, cell phone, digital camera, or any other portable electronic device. Also protects your charging mobile devices from electrical surges. **Features:** •Skid resistant pads hold devices securely •Five clips for cable organization •Expandable device holder •Foldable for easy portability •1080 joule surge protection •On/off rocker switch

Order #	Reg.	SALE
28-11111	~~$17.39~~	$15.99

Stellar Labs™

Six Outlet Power Save Surge Protector

✔*2160 joules*
✔*Smart outlets*
✔*RJ-11 protection*

Perfect for an office environment, these surge protectors feature five "Power Save" outlets that only provide power when the "Master" device is on. **Features:** •Four power save outlets •One master outlet •One always on outlet •2160 joules •LED status indicators (grounded, protected, master outlet status, power save outlet status, always on outlet status) •RJ-11 surge protection •6' power cord **Includes:** •6' RJ-11 telephone cable

Order #	Reg.	SALE
28-11112	~~$15.29~~	$12.99

Stellar Labs™ Power+

Eight Outlet Power Save Surge Protector

✔*2160 joules*
✔*Smart outlets*
✔*Dual coax protection*
✔*RJ-11 or RJ-45 protection*

Specifications: •EMI/RFI noise filtration •Five power save outlets •One master outlet •Two always on outlets •2160 joules •EMI/RFI noise filtration •LED status indicators (grounded, protected, master outlet status, power save outlet status, always on outlet status) •RJ-11/45 surge protection •Dual 2.4GHz coax protection •6' power cord **Includes:** •6' Cat 5 cable •6' RJ-11 telephone cable

Order #	Reg.	SALE
28-11108	~~$25.49~~	$22.99

Three Outlet Grounded Convertor

•Converts one grounded receptacle into three •Rated at 15A, 125VAC •UL listed

Order #	SALE
28-1445	ONLY $2.79

Single Outlet Surge Suppressor

✔*114 joules*

Protect electronic equipment from harmful voltage surges with this easy to use surge suppressor. Surge LED indicates surge protection is functioning. **Specifications:** •Response time: Less than 5nSec •Energy: 114 joules •Peak current: 4,500A •Rated at 15A, 120VAC, 60Hz •UL listed

Order #	Reg.	SALE
28-4395	~~$4.89~~	$4.79

Six Outlet Surge Protector

✔*270 Joules*

•Full three line surge protection •EMI/RFI filter •Integrated circuit breaker switch •LED indicator shows working surge protector circuit •AC 125VAC/15A •330V clamping voltage •ABS fire retardant plastic case •6' heavy-duty cord

Order #	Reg.	SALE
28-5515	~~$8.69~~	$7.99

6' Extension Cord

•Choose from 14 gauge or 16 gauge cords •NEMA 5-15P to NEMA 5-15R cable •UL approved

Order #	Gauge	Reg.	SALE
28-11067	16	~~$14.29~~	$13.99
28-11068	14	~~17.39~~	16.99

Stellar Labs™ Power+

Flat Panel Extension Cord with Rotating Plug

•Convert standard AC power cord to a slim right-angled plug •Perfect when installing a flat panel TV on a wall or placing a desk or piece of furniture close to a wall •360° rotating plug provides angular flexibility •14AWG cable •UL listed •15A, 125V, 1875W

Order #	Length	Reg.	SALE
28-11104	6"	~~$5.09~~	$4.99
28-11105	12"	~~7.19~~	6.99

6' Three Outlet Extension Cord

•14 gauge cord •NEMA 5-15P to three NEMA 5-15R cable •UL approved

Order #	Reg.	SALE
28-11070	~~$20.39~~	$15.99

MCMelectronics.com
1-800-543-4330
Enter source code from back cover in web shopping cart to receive sale prices.
Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com
Follow us on: facebook & twitter

Batteries and Flashlights

Whether you need rechargeable or alkaline, MCM has the batteries for you.

Kill A Watt Appliance Tester

Connect your appliances into the Kill A Watt™, and assess how efficient they are. A large LCD display counts consumption by the kilowatt-hour just like utility companies. You can figure out your electrical expenses by the hour, day, week, month, even an entire year. Monitor the quality of your power by displaying voltage, line frequency, and power factor. **Features:** •LCD display •Cumulative kilowatt/hour monitor •Displays in volts, amps, watts, Hz, VA •Forecast your electricity cost •Mfr. #P4400

Order #	Reg.	SALE
28-10985	~~$25.49~~	$22.99

MCM
One Hour Ni-MH Battery Charger with Four "AA" Batteries

•Dual action charger for both "AA" and "AAA" batteries up to four at a time •LCD display give readout of battery status •Includes both AC adapter and DC adapter cords •Includes four "AA" 2400mAh batteries

Order #	Reg.	SALE
29-4195	~~$27.59~~	$24.99

Five Hour Ni-MH Battery Charger with Four "AA" Batteries

Rechargeable NiMH batteries are great for digital cameras and other high drain devices. This dual action charger will charge both "AA" and "AAA" batteries up to four at a time. This unit includes four high capacity 1800mAh "AA" batteries.

Order #	(1-9)	(10-up)
29-4130	$16.39	$13.82

DURATOOL
Two in One LED Flashlight and Laser

•Super bright LED flashlight is portable enough to fit in pocket, tool box, or glove box •Magnetic base for easy placement •Flexible neck for ease of use •Built-in laser for diagnostic or identification •Includes three extra LR44 batteries •Dimension: 2.65" x .75" (base)

Order #	MSRP	Reg.	SALE
29-4495	$9.95	~~$6.19~~	$4.99

MCM
Universal, Digital Camera, AC Power Adapter



•For use with many digital cameras **Features:** •Foldable plug for easy storage •Tips for most devices **Power ratings:** •Input: 100~240VAC, 60Hz/50Hz •Output: 3.3V~8.4V DC, selectable up to 2500mA •Includes six interchangeable tips

Order #	Reg.	SALE
28-10650	~~$18.39~~	$17.99

Rechargeable Nickel-Metal Hydride Batteries

Nickel-Metal Hydride (Ni-MH) rechargeable batteries are one of the most advanced rechargeable battery systems commercially available and offer several advantages over today's ordinary nickel-cadmium (Ni-Cd) rechargeable batteries, including up to 40% longer service life. Ni-MH rechargeable batteries are also an environmentally friendlier alternative to Ni-Cd batteries.

Order #	Description	mAh	MSRP	Reg.	SALE
29-4275	"AA" single	2300	$4.99	~~$2.09~~	$1.69
29-4280	"AAA" single	900	4.99	~~1.69~~	1.39

"EnergyOn" Nickel-Metal Hydride Batteries

•Use the newest technology in rechargeable Ni-MH batteries •EnergyOn batteries are fully charged upon arrival and ready for use •With up to 70% of capacity remaining after one year, these batteries are perfect for travel •Ni-MH rechargeable batteries are also an environmentally friendlier alternative to Ni-Cd batteries and standard "AA" and "AAA" batteries

Order #	Description	mAh	MSRP	Reg.	SALE
29-4285	"AA" single	2000	$5.99	~~$3.09~~	$2.29
29-4290	"AAA" single	750	4.99	~~2.09~~	1.79

GP
Nickel Metal Hydride Batteries

Rechargeable NiMH batteries are environmentally friendly and last up to twice as long as NiCd batteries. NiMH batteries do not suffer from "memory" and can be charged and used just like NiCd batteries.

Order #	Description	Capacity	Reg.	SALE
29-3250	"C" (2 pk) Solder tab	2200mAh	~~$9.39~~	$5.99
29-3275	"AA" (1 pk)	1300mAh	~~6.59~~	4.99
29-3280	"2/3AF" (1 pk)	1000mAh	~~5.09~~	3.99
29-3295	"2/3AF" (1 pk)	1000mAh	~~6.67~~	4.99

SONY
STAMINA™ Platinum Alkaline Batteries

You'll never have to worry about running out of juice just when you want it the most. Sony's STAMINA™ platinum alkaline batteries offer you maximum performance compared to normal alkaline batteries.

Order #	Size	Qty	ONLY
AM1PTB2A	"D"	2	$1.99
AM2PTB4A	"C"	4	3.70
AM3PTB4A	"AA"	4	1.99
AM3PTB8A	"AA"	8	3.58
AM3PTB12A	"AA"	12	5.21
AM4PTB4A	"AAA"	4	1.99
AM4PTB8A	"AAA"	8	3.58
6AM6PTB1A	9V	1	2.00

Universal AC/DC Adapter

•Output: 3V, 4.5V, 6V, 7.5V, 9V, 12VDC •Amps: 500mA •Six interchangeable tips •Reversible tip polarity •6' cord length

Order #	Reg.	SALE
28-1265	~~$9.09~~	$6.99

DURATOOL
9 LED Super Bright Pocket Flashlight

•Super bright 9 LED flashlights are small enough to fit in pocket, tool box, or glove box •Brushed barrel for extra grip •Rubber O-ring for water protection •Rubber push button on/off •Three "AAA" batteries included •Dimension: 1.18" (dia) x 3.93" (L) •Choice of colors: Silver, red and blue

Order #	Color	MSRP	Reg.	SALE
29-4445	Silver	$9.99	~~$5.80~~	$3.99
29-4450	Red	9.99	~~5.80~~	3.99
29-4455	Blue	9.99	~~5.80~~	3.99

DURATOOL
28 LED Super Bright Pocket Flashlight

•Super bright twenty eight LED flashlight is portable •Great for tool or glove boxes •Knurled barrel for extra grip •Rubber O-ring for water protection •Rubber push button on/off •Three "AAA" batteries included •Dimension: 1.81" (dia) x 5.43" (L) •Gun metal color

Order #	MSRP	Reg.	SALE
29-4460	$19.95	~~$12.29~~	$9.99

DURATOOL
32 LED Super Bright Pocket Flashlight

•Super bright thirty two LED flashlight is heavy-duty light perfect for a tool box •Rugged, machined construction with knurled design •Rubber O-ring for water protection •Rubber push button on/off •Requires three "D" cell batteries (not included) •Dimension: 2.28" (dia) x 12.24" (L) •Black color

Order #	MSRP	Reg.	SALE
29-4465	$39.95	~~$17.39~~	$14.99

Panasonic
Bulk Packaged Alkaline Batteries

Save money by purchasing batteries in bulk. Panasonic batteries provide the highest usage life in primary batteries and have a five-year storage life.

Order #	Description	Reg.	SALE
292-315	"AA" cell 24/pk	~~$12.79~~	$9.99
292-320	"AAA" cell 48/pk	~~30.59~~	24.99

Panasonic Alkaline Batteries

Panasonic alkaline batteries provide the highest usage life in primary batteries, the best performance at low temperatures, and still maintain a five-year storage life. They work best in personal stereos, cameras, radio control toys and other personal appliances.

Order #	Size	Qty.	Reg.	SALE
292-005	"D"	2	~~$3.39~~	$2.99
292-010	"C"	2	~~3.09~~	2.79
292-020	"AA"	4	~~2.09~~	1.49
292-025	"AAA"	2	~~2.09~~	1.49
292-030	"AAA"	4	~~2.59~~	1.99
292-035	9V	1	~~3.39~~	2.99

MCM welcomes your product suggestions!
Tell your account representative or visit our website.

DURATOOL LCD Wireless Inspection Camera

•Inspection camera utilizes a flexible 37" shaft and 2.3" color LCD monitor to allow you to get a clear view in constricted areas •Take a peek inside of walls, under appliances, into plumbing, and other areas to find obstructions, lost tools, or to estimate damage •Monitor operates on handle, or detaches for up to 30 meters of wireless operation •Monitor has A/V in and out •Adjustable twin-LED light on tip •Camera-end and shaft are IP67 rated and waterproof up to 1 meter •Couple up to four additional shaft extensions for 189" maximum length •Includes mirror, hook, and magnetic attachments •Powered by rechargeable Li-Ion battery (included), and four "AA" batteries (not included)

Order #	Description	MSRP	ONLY
22-10570	Wall scope with LCD	$299.00	$159.00
22-10575	38" shaft extension	39.99	19.99



DURATOOL Folding Hand Cart

•A portable solution for transporting equipment, luggage, and other items on the job, on the road, in the shop, and around the house •Attached strap for securing load •Smooth rolling 3¼" wheels •Telescoping handle expands to 38" tall •Ergonomic grip •10" x 12" base •130 lbs. weight limit •Collapses to just 12" x 22" x 3½" in seconds for portability and easy storage

Order #	MSRP	Reg.	SALE
22-10365	$79.99	$34.99	$29.99

DURATOOL Digital Calipers

•Calipers for reading outer and inner diameters •Digital LCD display gives a clear and accurate reading •Switch between metric and SAE with a touch of a button •Reads in increments of 0.0005" and .01mm •Hardened stainless steel •Includes protective case •Uses SR44 1.5V battery (included)

Order#	Length	MSRP	ONLY
22-10720	4" (100mm)	$44.99	$17.99
22-8582	6" (150mm)	49.99	25.99
22-10724	8" (200mm)	59.99	28.99
22-10726	12" (300mm)	74.99	44.99

DURATOOL

MCM delivers exceptional value on the products you want the most.

DURATOOL 3-in-1 Wire Stripper with Cutter

•For 10~22AWG copper and aluminum wire •Three tools in one-wire stripper, cutter, and pliers •Red cushion grip handle provides maximum leverage •Length: 6¼"

Order #	MSRP	Reg.	SALE
22-8850	$10.99	$8.79	$4.99

DURATOOL Drop Trimmer Cable Stripper

•A single tool that cuts, strips, and trims coax cable •Single-step coax stripper with built-in stop for perfect lead length •Fixed-blade cartridge for 18 and 24AWG center conductors (RG-58/59/6) •Dial-adjusted cable jacket slitter for multi-coax cables •Impact resistant polymer and ergonomic design

Order #	MSRP	Reg.	SALE
22-10055	$19.95	$12.99	$9.99

DURATOOL Plier Set

•A set of three of the most regularly used pliers •Bi-material ergonomic cushion handles •Drop forged, heat treated steel •Fully polished heads **Includes:** •7" diagonal pliers •8" combination pliers •8" long nose pliers

Order #	MSRP	Reg.	SALE
22-9904	$19.99	$14.49	$7.99

DURATOOL Ergonomic Pliers Set

Drop forged carbon steel, hardened and tempered for outstanding durability •Precision machine jaws for rigid use •Ergonomically designed double-injected handles for a better grip and reduces user fatigue **Set includes:** •7" diagonal cutting pliers •7" combination pliers •8" long nose pliers •8" slip joint pliers •10" waterpump pliers

Order #	MSRP	Reg.	SALE
22-9750	$39.99	$17.99	$13.99



DURATOOL Electronic Professional Side Cutters

•High-quality ball bearing steel •63 - 65 Rockwell Hardness (HRC) •2 component ESD ergonomic handles, soft comfortable gripping surface, hard plastic core •Dual leaf springs in blue steel •Matched bearing rings to minimize metal-metal contact and friction •Lap joint with screw to achieve a high level of strength and precision •Static dissipative (106~108Ω/sq.), oil, grease and wear-resistant •Swiss made •All cutters available with three types of cutting blades: **Semi-flush:** For soft and hard wire **Flush:** For very precise cutting of soft wire **Full-flush:** For a perfect cutting of soft wire

Order#	Cut Type	Cutting Capacity	Length	MSRP	ONLY
Oval Head					
22-10666	Semi-flush	0.2 ~ 1.2 mm	4.8"	$59.95	$34.99
22-10668	Flush	0.1 ~ 1.2 mm	4.8"	59.95	35.99
22-10670	Full flush	0.1 ~ 1.0 mm	4.8"	59.95	36.99
22-10672	Semi –flush	0.3 ~ 1.6 mm	4.9"	59.95	35.99
22-10674	Flush	0.2 ~ 1.6 mm	4.9"	59.95	36.99
22-10676	Full flush	0.2 ~ 1.2 mm	4.9"	59.95	37.99
Tapered head					
22-10678	Semi-flush	0.2 ~ 1.2 mm	4.8"	59.95	34.99
22-10680	Flush	0.1 ~ 1.2 mm	4.8"	59.95	35.99
22-10682	Full flush	0.1 ~ 1.0 mm	4.8"	59.95	36.99
22-10684	Semi –flush	0.3 ~ 1.6 mm	4.9"	59.95	35.99
22-10686	Flush	0.2 ~ 1.6 mm	4.9"	59.95	36.99
22-10688	Full flush	0.2 ~ 1.2 mm	4.9"	59.95	37.99
Tapered & Relieved Head					
22-10690	Semi-flush	0.2 ~ 1.0 mm	4.8"	59.95	36.99
22-10692	Flush	0.1~ 1.0 mm	4.8"	59.95	37.99
22-10694	Full flush	0.1 ~ 0.8 mm	4.8"	59.95	38.99

#22-10696 #22-10706

DURATOOL Professional Precision Pliers

•High-quality ball bearing steel •63~65 Rockwell Hardness (HRC) •Two-component ESD ergonomic handles, soft comfortable gripping surface, and hard plastic core •Dual leaf springs in blue steel •Matched bearing rings to minimize metal-metal contact and friction •Lap joint with screw to achieve a high level of strength and precision •Static dissipative (106~108Ω/sq.) •Oil, grease and wear-resistant •Swiss made

Order #	Jaw	Length	ONLY
Long snipe nose			
22-10696	Smooth	5.6"	$30.99
22-10698	Serrated	5.6"	31.99
Snipe nose			
22-10700	Smooth	5.2"	30.99
22-10702	Serrated	5.2"	31.99
Flat nose			
22-10704	Smooth	5.2"	29.99
Round nose			
22-10706	Smooth	5.2"	32.99

DURATOOL Micro Cutter

•General purpose cutter •Ideal for precision electronic work •Suitable for copper wire •Lightweight and easy to handle •Length: 5"

Order #	MSRP	Reg.	SALE
22-8905	$9.99	$5.99	$3.99

MCM

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com

Follow us on: facebook & twitter

DURATOOL

Duratool has the most demanded tools at electrifying prices.

DURATOOL 105 Piece Security/ Standard Screwdriver Bit Set

The 105 piece kit contains: 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16" slotted bits; #0, #1, #2, #3, #4, drywall #2 Phillips bits; SD-5, 5.5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 35, 40, 45, 50 star drive bits; S-0, 1, 2, 3 square drive bits; Hex SAE 1/16", 5/64", 3/32", 7/64", 1/4", 9/64", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16" bits; pozi #0, #1, #2, #3, #4 bits; Hex mm 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8 bits; clutch 1/8", 5/32", 3/16", 1/4", 7/32" clutch bits; T8, T10, T15, T20, T25, T27, T30, T35, T40 security torx bits; 6, 8, 10mm torx bits; 5/32", 7/64", 1/8", 7/64", 5/32", 7/64" security hex bits; 2, 2.5, 3, 4, 5, 6mm security hex bits; #1, 2, 3, 4 tri wing bits; 4, 6, 8, 10mm spanner bits; 2 3/16" magnetic extension bit holder; 1/4" hex x 1/4" dr. socket adapter; three setting ratchet handle; convenient carry case. All bits fit any 1/4" hex driver and most power screwdrivers.

Order #	MSRP	Reg.	SALE
22-3495	$49.95	~~$21.99~~	$14.99

DURATOOL Five-Point Torx Security Bit Set

11 piece set of five-point security bits are for removing security screws used in computer equipment, hard drive enclosures, European automobiles, and other Torx Plus® fasteners which are becoming more commonly used. These do not fit standard six-point torx fasteners. •Hole in center of the bit for tamper-proof fasteners •All bits 1" long **Set includes:** (Torx equivalent sizes) T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, and T50 bits

Order #	MSRP	Reg.	SALE
22-9795	$59.99	~~$15.49~~	$9.99

DURATOOL 8 Piece Torx Power Bit Set

•This torx power bit set is ideal for handheld ratcheting screwdrivers and drills/drivers •Constructed from chrome-vanadium steel •Length: 50mm •Tip sizes in set: T8, T10, T15, T20, T25, T27, T30, T40 •Mfr# D00185

Order	ONLY
22-11089	$1.99

DURATOOL 19 Piece Titanium Drill Bit Set

•Titanium nitride coated alloy steel for long lasting durability •Advanced split point for simple drilling •Sizes 1~10mm •Includes case

Order #	MSRP	Reg.	SALE
22-9728	$37.50	~~$14.99~~	$9.99

DURATOOL Round Hole Cutter with Adjustable Radius Blades

Ideal for installing ceiling speakers, recessed lighting, or any project requiring a round hole to be cut. Cuts up to a 10" round hole in ceilings, walls, and floors. Cuts plywood, plasterboard, and acrylic up to 1" thick. **Features include:** Can be used with any variable speed drill. Cutting radius is freely adjustable via adjusting lever. Support base steadies the drill bit while cutting and keeps the cut perpendicular to the surface. Transparent cowl prevents chips from flying into eyes while cutting.

Order #	MSRP	Reg.	SALE
22-7385	$139.99	~~$89.99~~	$69.99



DURATOOL Nine Piece Bi-Metal Hole Saw Set

Bi-metal construction for strength and durability when cutting through mild steels, bronzes, copper, brass, aluminum, wood, plywood, and plastics **Set includes:** •Hole saw sizes: 7/8", 25/32", 1", 1 1/4", 1 1/2", and 2" •Mandrel adapter •1/16" and 3/8" hex arbors •Blow molded case

Order #	MSRP	Reg.	SALE
22-9742	$69.99	~~$24.99~~	$19.99

DURATOOL 32 Piece Security Bit Set



Handy pocket size set contains many of the bits commonly used to remove tamper resistant screws found in many of today's electronic products. Items like IBM PS/2 monitors, cable boxes, telephone equipment and much more, commonly use these type of screws. **Kit contains:** 6mm, 8mm, and 8mm torq bits; 4, 6, 8 and 10mm spanner bits; #1, #2, #3 and #4 tri wing bits; 2, 2.5, 3, 4, 5 and 6mm security hex bits; 5/32", 7/64", 1/8", 7/64", 5/32", and 7/64" security hex bits; T8, T10, T15, T20, T25, T27, T30, T35 and T40 security torx bits; 60mm magnetic bit extension all housed in a pocket sized carry case. Bits fit any standard 1/4" hex driver such as #22-1620 and most power screwdrivers.

Order #	MSRP	Reg.	SALE
22-1875	$34.99	~~$11.99~~	$5.99

DURATOOL 4.8 Volt Rechargeable Cordless Screwdriver

•Ideal for light trade and hobbyist use •Rubberized grip •Forward and reverse trigger switch •Uses 1/4" hex bits •150rpm **Kit includes:** •4.8V driver •110V charger •Three drill bits •20 driver bits •Bit adapter •Blow molded carry case

Order #	MSRP	Reg.	SALE
22-10220	$29.99	~~$19.99~~	$14.99

DURATOOL Cordless Screwdriver

•Ideal for DIY projects •Forward and reverse trigger switch •Uses 1/4" hex bits •150rpm •11 bits •Uses four "AA" batteries (not included)

Order #	MSRP	Reg.	SALE
22-10215	$19.99	~~$13.49~~	$5.99

DURATOOL Mini Rotary Tool Kit

•Slim rotary tool is easy to control for precision work, but powerful enough for heavy-duty cutting and drilling •Handy for drilling, cutting, cleaning, polishing, sanding, engraving, and more •Keyless chuck with four collets for easy bit change •55 piece accessory kit included •Everything is organized in a clear-top aluminum case •No load speed: 8000~18000rpm

Order #	Description	MSRP	ONLY
22-10205	Mini Rotary Tool Kit	$49.99	$24.99
22-9900	150 piece accessory set	28.99	15.49

DURATOOL 18 Volt Cordless Drill Kit

•Ideal for light trade and hobbyist use •Variable speed •Forward and reverse switch •16+1 torque setting clutch •Built-in bit holder •Keyless chuck •No load speed 0~550rpm **Kit includes:** •18V drill •1.2Ah battery •Charger •Six drill bits •Six driver bits •Bit adapter •Blow molded carry case

Order #	Description	MSRP	Reg.	SALE
22-10210	18V drill kit	$79.99	~~$44.99~~	$29.99
22-10212	Replacement 18V battery	34.99	~~19.99~~	14.99

DURATOOL Hammer Drill

•Powerful drill/ hammer drill for drilling in wood, metal, and masonry •21 adjustable torque clutch •Variable speed with controllable top-speed dial •Multi-position side handle for better control •Depth control bar •Switchable from hammer to standard drill for drilling in multiple surfaces •No load speed: 0~3000rpm

Order #	MSRP	Reg.	SALE
22-10222	$69.99	~~$39.99~~	$21.99

LIFETIME WARRANTY

DURATOOL Weatherproof Equipment Cases

•Protect your expensive tools, equipment, and electronics with customizable cases that will withstand any environment •Push button latches open and secure with ease (featured on models #22-10460, 22-10465, 22-10470) •Customizable cubed "pluck" foam insert •Water-tight, air-tight, and nearly indestructible •Swivel handles •Stackable •Pressure purge valve •Holes for padlocks •Removable shoulder carry strap •Made of ultra high-impact ABS plastic

Order #	Inner Dimensions	MSRP	Reg.	SALE
22-10450	9⅞" x 7⅛" x 3⅛"	$39.95	~~$21.99~~	$19.99
22-10455	9⅞" x 7⅛" x 5½"	59.95	~~34.99~~	27.99
22-10460	15⅜" x 10⅜" x 5⅛"	99.95	~~69.99~~	59.99
22-10465	16¼" x 11⅜" x 6¾"	159.00	~~84.99~~	69.99
22-10470	18⅜" x 14⅛" x 8¼"	199.00	~~129.00~~	99.99

DURATOOL 22" Stainless Steel Tool Box

•Heavy-duty tool box •Internal removable tote tray •Soft grip carrying handle provides extra comfort •Integral saw-horse groove •Heavy-duty metal latches •Padlock eyes for extra security •Dimensions: 10⅞" (H) x 22½" (W) x 11" (D)

Order #	MSRP	Reg.	SALE
22-9892	$59.99	~~$34.99~~	$24.99

DURATOOL

Duratool cases save your tools and your money.

Heavy-Duty Aluminum Tool/Equipment Case

Heavy-duty case is made of lightweight aluminum and designed to take rough field use. Includes one tool pallet, egg carton foam lid, and 2½" thick precut foam bottom. Ideal for carrying fragile instruments, test equipment with accessories and small hand tools. Attractive black finish holds up after years of use. Measures approximately 19" x 14" x 6".

Order #	MSRP	Reg.	SALE
22-8125	$99.99	~~$41.99~~	$29.99

DURATOOL Heavy-Duty Aluminum Tool Case

•Made of lightweight durable aluminum •One tool holder with adjustable compartments easily carries hand tools, small soldering equipment, hand held test equipment, and more •Color: Black •Dimensions: 19" x 14" x 6"

Order #	MSRP	Reg.	SALE
22-8120	$99.99	~~$39.99~~	$29.99

DURATOOL Plastic Rolling Workshop

•A 32" portable, multi-purpose workshop that allows plenty of organization for tools and parts •Three detachable sections •6¼" deep toolbox includes parts tray and sawhorse groove •Removable center drawers include separated trays for storing fasteners, driver bits, and other small parts •6" rubber wheels •Telescopic handle for easy storage •Dimensions: 12" (D) x 19" (W) x 32" (H)

Order #	MSRP	ONLY
22-9894	$99.99	$49.99

DURATOOL Metal Rolling Workshop

•A heavy-duty 26" rolling workshop for maximum storage and easy transportation of tools and materials •Extendable and removable pull handle •Attractive yellow metal exterior for years of durability •Removable upper toolbox for frequently used tools •3¾" deep pullout drawer •Side bungee cords for external storage •Large tilt-out bin for power tools or cabling •Saw horse groove in lid for cutting pipes or lumber •Soft rubber grips •Cord wrap on back of unit •Dimensions: 20" (W) x 10" (D) x 26" (H)

Order #	MSRP	Reg.	SALE
22-9896	$169.99	~~$89.99~~	$79.99

DURATOOL Rolling Tool Chest

•Provides maximum storage and easy transportation of tools •4" rubber wheels •Main compartment suitable for power tools and large equipment •Two internal tote trays with removable dividers for easy organization of tools and parts •Lift off lid with internal storage trays •Telescoping metal handle •Sawhorse grooves in lid

Order #	MSRP	Reg.	SALE
22-9898	$99.99	~~$54.99~~	$39.99

DURATOOL Socket Set

•¼" metric drive sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 and 14mm •½" drive flank deep sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 and 32mm •Metric deep sockets: 6, 7, 8, 9, 10, 11, 12 and 13mm •Metric deep sockets: 14, 15, 17 and 19mm •¼" x 2" extension bars (2" and 4") •½" extension bars (5" and 10") •¼" and ½" drive universal joints •¼" and ½ quick ratchet handles •½" drive spark plugs: 16 and 21mm •Hex key wrenches: 1.5, 2, and 2.5mm •6" spinner handle •Slotted: 4, 5.5 and 7mm; Hex: 3, 4, 5 and 6mm; Phillips: #1 and #2 •Pozi: #1 and #2 •Torx: T8, T10, T15, T20, T25 and T30 •Bits: Regular: 8, 10 and 12mm; Hex: 8, 10, 12 and 14mm; Philips: #3 and #4; Pozi: #3 and #4; Torx: T40, T45, T50 and T55 •Bit adaptor •Bit holder •Three way adapter •¼" x 6" flexible extension •¼" drive sliding T-bar

Order #	MSRP	Reg.	SALE
22-10038	$129.00	~~$79.99~~	$39.99

DURATOOL 30 Piece Hex Key Set

•Includes 15 each of both short-arm metric and long-arm SAE sizes of the most common hex sizes in a handy case •SAE: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 7/32", 1/4", 9/32", and 5/16" •Metric: 0.7, 0.9, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, and 10mm •Includes case

Order #	MSRP	Reg.	SALE
22-9668	$19.99	~~$10.49~~	$8.99

Customer Service: 1-877-626-3532

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com
Follow us on: facebook & twitter

Technician Aids

The best values on your everyday essentials.

DURATOOL

Wall Mount Compartment Storage

•A convenient way to store and organize a larger number of small parts •40 clear compartment pull out trays •One large transparent tray on bottom •Robust impact resistant plastic •Suitable for wall or desk mounting •Dimensions: 12¼" (L) x 5⅞" (W) x 19⅝" (H)

Order #	MSRP	Reg.	SALE
22-9915	$26.99	$16.49	$14.99

Double Sided Foam Tape



•Thousands of uses •Fasten accessories to car dash, etc. •¾" x 6½' roll

Order #	Reg.	SALE
28-955	$2.59	$1.49

Portable Cable Caddy

•Stable, folding style frame holds cable reels up to 16" wide and 24" diameter •Made of sturdy 1" metal tubing with black finish •Unit can be used to carry and store your cable reel when not in use •Folds flat for storage •⅝" center axle

Order #	(1-9)	(10-24)	(25-49)	(50-up)
33-10900	$24.99	$23.70	$21.81	$19.63



Fluorescent Magnifier Lamp

✔*5" 3-diopter lens (1.75x)*
✔*45" clamp-on spring arm*
✔*22W fluorescent bulb*

•Fluorescent light with precision three diopter (1.75x) magnifying lens •Spring balanced arm reaches 45" •22W fluorescent tube provides perfectly balanced lighting •5" magnifying lens •White finish •Metal clamp •Replacement bulb available (#21-936)

Order #	Reg.	SALE
21-935	$59.99	$54.99

Hook and Loop Fasteners

•Hook and loop fastener with adhesive back •Perfect for attaching accessories to almost any surface •Once attached, accessory can be removed quickly and easily •Black

Order #	Size	Reg.	SALE
21-720	1" x 3'	$4.89	$2.99
21-2040	2" x 6"	2.18	1.29

Electricians Tape

Ideal for all electrical and electronic applications. •PVC insulating tape •8 mil x ¾" •60' roll #21-090 is 7 mil and UL approved

Order #	Color	(1-9)	(10-24)	(25-49)
21-095	Red	$0.99	$0.94	$0.89
21-090	Black	0.99	0.94	0.89
21-985	White	0.99	0.94	0.89
21-995	Blue	0.99	0.94	0.89
21-990	Yellow	0.99	0.94	0.89

DURATOOL

Head Magnifying Glass with Light

•Magnifying glass with adjustable diopter lens •Magnifies 1.8x, 2.3x, 3.7x, and 4.8x •Lightweight •Light on each side of magnifier •Requires four "AAA" batteries not included (#291-015)

Order #	MSRP	Reg.	SALE
21-8476	$19.99	$6.59	$4.99

DURATOOL

Storage Cases with Removable Trays



•The most versatile answer to portable storage for small parts •Removable bins allow user to dump single bins for use rather than the entire organizer •Gridded lid locks bins into place for mix-free transportation •Virtually unbreakable clear polycarbonate hinged lid •Extra strong dual latches •Comfort grip handle

Fig.	Order #	Sections	Dimensions	MSRP	ONLY
A	22-9918	15	8¼" x 13⅜" x 2⅛"	$14.99	$4.99
B	22-9920	22	16½" x 13⅜" x 2⅛"	20.99	9.99
C	22-9922	8	16½" x 13⅜" x 4½"	22.99	12.99

Black Cold Shrink Tape



Pliable rubber tape is ideal for applications where shrink tubing or conventional electrical tape is impractical or ineffective. No adhesive is used. Material chemically reacts with itself as it is wrapped around the connection forming a solid, airtight covering. Easily stretches over irregular surfaces to conform to virtually any shape. Ideal for automotive, marine and outdoor antenna applications. ¾" (W) x 30' (L).

Order #	Reg.	SALE
21-3545	$12.39	$10.99



Self-Adhesive Aluminium Foil Tape

High strength, aluminium foil with high tack adhesive for use in high temperature applications or where PVC or cloth tape are not strong enough. Suitable for heating and refrigeration systems, car and home repairs, double glazing sealing, decorative finishes, heat reflection and RFI/EMI screening of enclosures and electronic components.

	CBFOIL30	CBFOIL100
Service temperature:	-20°C~+110°C	
Application temperature:	0°C~40°C	
Size:	50mm x 45m	50mm x 50m
Foil thickness:	30 micron	100 micron

Order #	Description	Reg.	SALE
CBFOIL30	30 micron	$8.69	$5.99
CBFOIL100	100 micron	16.99	15.99

DURATOOL

Compartment Boxes



•Perfect sized compartment boxes for holding and organizing small parts •Transparent plastic for easy identification •Hinged lid with latches for secure holding of small parts

Fig.	Order #	Sections	Dimensions	MSRP	ONLY
A	22-9906	18	9" x 41⅝" x 1⅜"	$4.99	$1.99
B	22-9910	18	11½" x 7⅝" x 1⅝"	5.99	2.99
C	22-9912	24	15" x 91⅝" x 1⅞"	7.99	3.99

3M

Waterproof Cloth "Gaffer" Tape



Cloth backed adhesive tape with high tack adhesive for use where normal PVC tape would lose adhesion due to the ingress of water. Often used to fix cables to floor/walls etc. and for general repairs. Supplied on 50m rolls. 50mm wide.

Order #	Description	Reg.	SALE
CB00015	Black	$5.99	$4.99
CB00016	Silver	5.99	4.99

Log onto MCM's website anytime for fast and easy access to our full line of products.

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Technician Aids

Clean ways to save.

5 Pack

NEW!

MCM Premium Microfiber Cleaning Cloths

•The safest way to clean dust, grime, and marks on electronic equipment without harsh chemicals •Tight knitted interwoven design lifts and traps contaminants •Can be used with or without chemicals •Machine washable •Each cloth measures 12" x 14" •Pack of five premium cleaning cloths

Order #	ONLY
21-9255	$9.99

Cotton Cleaning Swabs

•Great for tape machine maintenance •6" wooden stick for getting into tight spaces

Order #	# of Sides	Quantity Per Pack	Price Per Pkg. Reg.	SALE
21-2150	Single	250	~~$3.69~~	$2.99
21-2160	Double	100	~~4.69~~	3.99
21-1100	Double	50	~~2.09~~	1.99

Four Wheel All Purpose Service Cart

•This cart is ideal for use as a portable service bench for TVs/VCRs or as a delivery cart •This cart has a lower shelf, heavy-duty casters, and formica top •Heavy-duty rugged design •Dimensions: 24" (W) x 29" (H) x 24" (D) •Weight: 32 lbs. •Made in USA

Order #	Reg.	SALE
21-1650	~~$89.99~~	$79.99

RATED ★★★★★

"MCM TechTable"

•Rotating "TechTable" will increase technician productivity by eliminating tedious product repositioning during servicing •Holds up to 200 lbs. •High-tech gray color •Comes complete with rubber adhesive feet •Dimensions: 20" diameter x ⅝" thick •Structure weight: 5 lbs. •Made in USA

Order #	Reg.	SALE
21-1935	~~$25.99~~	$24.99

Anti-Static Wrist Strap with 6' Coiled Cord

Order #	Reg.	SALE
21-660	~~$5.19~~	$3.99

MCM Flat Panel TV Service Stands

The service stand designed especially for supporting flat panel televisions and monitors for professional servicing. **Features:** •Holds panel at a comfortable servicing angle •Replaceable, protective foam panels helps protect front of screen •Folds flat for easy storage and transportation •Wood construction for optimal support and electrical current insulation •Available for both small and large screens •Extension available for even larger screens







Order #	Up to Screen Size	Dimensions Open (HxWxD)	Closed (HxWxD)	Reg.	SALE
21-9180	21"	12" x 18" x 16"	14¼" x 18" x 3½"	~~$77.99~~	$74.99
21-8460	50"	21½" x 32" x 29	28¼ x 32" x 3"	~~209.00~~	199.00
For screens greater than 50" (attachment for #21-8460)					
21-8472				49.99	-

DURATOOL Third-Hand Tool with Magnifier

•Adjustable arms with clips for holding small pieces allowing your hands to be free for precision work •Adjustable joints for movement and placement in all directions •Heavy cast-iron base for stability •Distortion free magnifying glass for closer inspection

Order #	MSRP	Reg.	SALE
22-9730	$14.99	~~$5.19~~	$3.99

DURATOOL Telescopic Inspection Mirror

1½" diameter mirror has 24" extension handle to help see around tight spots. Adjustable, double jointed head pivots a full 360°. Includes shirt pocket clip.

Order #	MSRP	Reg.	SALE
21-8500	$8.99	~~$4.19~~	$3.99

Digital Hygrometer

•A miniature hygrometer module for easy display in a lab or can be mounted in a panel, project box, instrument, or computer case •Perfect for indicating high risk conditions for ESD •Measurement range: 10%~99% RH •Resolution: 1% RH •Accuracy: ±3% RH (30%~80%), ±5% RH (remainder of range) •Unit size: 1.9" x 1.125" x .55"

Order #	Reg.	SALE
21-8880	~~$12.99~~	$11.99

DURATOOL Glue Gun

•Ideal for gluing wood, paper, ceramics, and plastic •Flip out stand •12 g/min flow •Uses 7/16" glue sticks (includes two) •40W

Order #	MSRP	Reg.	SALE
22-10230	$19.99	~~$9.99~~	$6.99

Glue Sticks

Order #	Color	Melting Temp	(ea.)	(2-4)	(5-up)
22-720	Yellow	196° F	$3.09	$2.88	$2.67
22-725	Yellow	188° F	2.99	2.88	2.67
22-990	Clear	185° F	2.99	2.88	2.67
HGBLK	Black	188° F	2.99	2.88	2.67

DURATOOL Butane Glue Gun

•Cordless glue gun can be used nearly anywhere •Uses standard ½" diameter glue sticks •Adjustable flame to 400°F •High-impact plastic for industrial quality •Visible ceramic element glows red when ready to use •Weight: 13 oz. •11ml fuel capacity •Butane not included

Order #	MSRP	Reg.	SALE
21-9190	$59.99	~~$24.99~~	$19.99

DURATOOL Heat Gun Kit

•Heavy-duty heat gun for heat shrink tubing, paint removal, softening materials, and more •Two heating powers: Up to 1000°F at 16ft³/min; and up to 750°F at 9ft³/min **Includes:** •Heat gun •Four nozzles •Scraper with handle •Blow molded case

Order #	MSRP	Reg.	SALE
22-10225	$59.99	~~$31.99~~	$19.99

Let Us Quote Your Next Project!
Call our Quotes Team
1-800-543-4330
email: quotes@mcmelectronics.com

USB 2.0 File Transfer Cable for PC or Mac

NEW!

This high-speed USB file transfer cable features EasySuite or EasyMacCopy utility software embedded, and automatically loads onto your system allowing simple file transfers. **Features:** •6' length •Allows for PC to PC file transfers, or PC to Mac transfers, Mac to PC transfers, or Mac to Mac transfers •Plug-n-play **System requirements:** •Windows® XP/Vista/7 •Mac OSX® 10.4 or greater

Order # 83-11849 | **MSRP** $34.99 | **ONLY** $22.99

USB 2.0 File Transfer Interface with USB Hub

NEW!

This USB 2.0 file transfer hub features embedded EasySuite software that automatically loads on your machine and enables the easy transfer of files between two Windows® PCs, while providing three additional USB ports for peripherals. **Features:** •6' PC to PC transfer cable •Embedded EasySuite file transfer software •Plug-n-play **System requirements:** •Windows® XP/Vista/7

Order # 83-11850 | **MSRP** $39.99 | **ONLY** $28.99

S10-Port USB 2.0 Hub

NEW!

•Two adjustable angular USB ports •Eight regular USB ports •Backwards compatible with USB 1.1 •BUS powered or self-powered (with included AC adapter)

Order # 83-11854 | **ONLY** $29.99

Note: The Standard Terms and Conditions of Sale appearing in MCM's current catalog apply. Product listings, specifications, availability and pricing are subject to change without notice. MCM reserves the right to make changes and corrections without notice. Every effort has been made to provide accurate technical and product information. Occasionally we make the names and postal addresses of our customers available to highly screened companies that offer products and services that may be of interest to you. If you do not want to receive these offers, please let us know by contacting MCM at 1-800-543-4330.

MCM

Mail/Fax Order Form

Copy this form to mail or fax!

Attn: MCM Account Representative

Customer # (on back cover)	Media Code A005	Source Code (on back cover)

Bill To:

Company Name

Name (First, MI, Last)

Street

City, State, Zip

Phone # | Fax #

Purchase Order #

Check Here For: ☐ No Backorders ☐ No Substitutes ☐ Ship Order Complete (may result in delay of order)

Payment Method

☐ Visa ☐ Mastercard ☐ Discover ☐ American Express ☐ IMPAC Government Visa ☐ Prepayment (No Personal Checks) ☐ Net 30 (Note: Monthly late fee of 1½% on past due balances)

Name (As it appears on credit card)

Card Number

Charge Card Expiration Date ☐☐/☐☐ | CVV Code ☐☐☐☐

Card Holder Billing Address

Card Holder Signature | Card Holder Phone #

E–Mail Address

Would You Like To Receive E–Mail Specials? ☐ Yes ☐ No

Ship To:

Company Name

Name (First, MI, Last)

Street

City, State, Zip

Phone # | Fax #

Ship Via ☐ Ground Service ☐ Next Day Air* ☐ Two Day Air*

Packaging and Shipping

The packaging and shipping charge is based on the total merchandise value and/or weight of the order. See the chart below for the packaging and shipping charges on your orders under 50 lbs. If split shipments are required or items are on backorder, no additional fees will apply. Packaging and shipping rates are subject to change.

All orders with in-stock items ship within 24 hours. All in-stock items on orders with expedited/air shipping methods will ship the same day if using our preferred carrier and received by the following times: Web orders by 2:00 p.m. (ET) and phone or fax orders by 3:00 p.m. (ET), Monday through Friday. Expedited/air shipping is subject to credit approval and carrier selection. Unless otherwise specified, orders will be shipped via ground service through the carrier of our choice.

Our packaging and shipping rates for standard orders under 50 lbs.:

Order Value <50lbs.	Ground
$0~$19.99	$8.99
$20~$39.99	$9.99
$40~$59.99	$11.99
$60~$99.99	$13.99
$100~$199.99	$15.99
$200~$299.99	FREE
$300~$399.99	FREE
$400~$499.99	FREE
$500~$999.99	FREE
$1,000 and over	FREE

Note: Any Ground order over 50 pounds or any air shipment over 25 pounds may be charged carrier chart rate. You will be contacted if your shipment cannot use the chart to the left. Charges are for the continental United States, Hawaii, Alaska, Guam, Puerto Rico and APO/FPO locations. Fraud prevention, credit approval, order volume, system problems, weather conditions, and other variables can affect processing. Orders placed on weekends and holidays will be shipped the next business day pending payment authorization.

***Expedited Shipping:**
2nd day air fee is $18 plus chart rate to left. Next day air fee is $36 plus chart rate to left. Free shipping offers do not apply to expedited/air shipping. Contact your account representative for additional details. Continental US only, no PO boxes. Additional charge for larger items.

PLEASE DO NOT SEND CASH OR PERSONAL CHECKS

PLEASE PRINT OR TYPE WITH COMPLETE INFORMATION

MCM Part No.	Quantity	Description	Page No.	Unit Price	Total

THANK YOU

Subtotal	
Sales Tax*	
Packaging and shipping (From chart above)	
Expedited Shipping (Optional)	
Total	

*Customers in Ohio, California, Nevada, Minnesota and Indiana or shipments into any of those states must add applicable sales tax.

Sales Hours:
Monday – Friday, 8:00 a.m. - 8:00 p.m. (ET)
Saturday, 9:00 a.m. - 3:00 p.m. (ET)

Will Call Window
Hours: Monday~Friday 9:00 a.m.~5:30 p.m. (ET)
Will call window is available for pick-up of your order. Please allow three hours from the time your order is placed to pick it up. Ask your account representative for more details. Located at 405 South Pioneer Blvd., Springboro, Ohio 45066.

After hours ordering on recorder, call **1-800-543-4330.**
In **Dayton, Ohio** call **434-0031** and ask for the Sales Department. For **product questions** call **1-800-824-8324** or fax your product questions to **1-800-765-6960,** or e-mail **tech@MCMelectronics.com**
Monday~Friday: 8:00 A.M.~ 5:00 P.M. (ET)

Secured online orders:
MCMelectronics.com
Phone: 1-800-543-4330
Fax: 1-800-765-6960

Email Orders: orders@MCMelectronics.com
Mail Orders: MCM Electronics, 405 S. Pioneer Blvd., Springboro, OH 45066

Quotes:
Phone: 1-800-543-4330
Email: quotes@MCMelectronics.com

© 2010 MCM Electronics, Inc.

Computer Products

Digital memory readers are a great accessory to any digital camera kit.

Seven Port USB 2.0 Hub

•3' A/B USB cable included •LED indicator light •Transfer rate of up to 480Mbps

Order # 83-11765 **ONLY** $8.19

USB 2.0 Micro SD Memory Card Reader

This compact memory card reader is capable of reading micro SD memory cards. •Up to 480Mbps transfer rate •Dimensions: 1" x ¾"

Order # 83-11759 **ONLY** $5.09

USB 2.0 Flash Card Reader

•Ideal for reading your digital camera cards directly •This reader supports almost all the memory cards available in the market •Additional support for Mini-SD, RS-MMC and MS DUO without the need of an adapter and also TransFlash cards **Includes:** •USB 2.0 card reader/writer •Software CD driver •USB 2.0 cable •Mfr. #RU2B61

Order # 83-11299 **ONLY** $16.39

USB Retractable Travel Optical Wheel Mouse

•Three buttons with wheel •Resolution: 800dpi •2½' retractable cable •Win98/98SE/2000/XP/Vista •Dimensions: 3½" (L) x 1¾" (W) x 1¼" (H)

Order # 83-11618 **Reg.** ~~$7.19~~ **SALE** $6.99

104 Key Keyboard

•Compact and slim design •104 keys •Light spill resistance •Ergonomic design, gently sloped shape encourages natural hand position **System requirements:** •Available USB port •Windows 98SE/ME/2000/XP •Mac OS 8.5-9x drivers available from A4Tech.com •Mfr. #IK-750

Order # 83-11050 **Reg.** ~~$10.70~~ **SALE** $7.99

Optical Wheel Mouse

•Three buttons with wheel •Resolution: 800dpi •6' cable •Win98*/98SE/2000/XP/Vista *Win98 only supported by PS/2 version

Order #	Version	Reg.	SALE
83-11616	PS/2	$6.19	-
83-11617	USB	~~7.19~~	$5.99

2.4GHz Wireless Optical Mouse

•Resolution: 800dpi •Two button with clickable scroll wheel •Mini USB receiver •Ergonomic design •Power saving mode •Working range 10~20 meters •Uses two "AAA" batteries (not included) •Dimensions 10.5 x 5.5 mm •Perfect for both desktop and travel uses

Order # 83-11619 **ONLY** $14.95

USB 2.0 A/B Cables

✔*High speed 480Mb cables*
✔*Used for many USB connections*

Order #	Color	Length	(1-9)	(10-up)
83-10676	Beige	3'	$3.09	$2.50
83-10677	Beige	6'	3.79	3.36
83-10678	Beige	10'	5.40	5.19
83-10679	Beige	15'	7.19	6.52
83-10680	Black	3'	3.09	2.72
83-10681	Black	6'	3.79	3.36
83-10682	Black	10'	6.19	5.89
83-10683	Black	15'	7.19	6.52

Mini USB A/B Cables

•USB A sale to mini USB connector •Both mini 5 pin and mini 4 pin styles available •High speed up to 480Mb cables •Used for many USB connections •Cable color is black

Order #	Cable Type	Length	(1-9)	(10-up)
83-10704	USB A/mini 4 pin	6'	$2.59	$1.73
83-10705	USB A/mini 5 pin	3'	3.09	2.54
83-10706	USB A/mini 5 pin	6'	3.79	3.36
83-10718	USB A/mini 8 pin flat for Nikon®/Sanyo® cameras	6'	3.39	3.12
83-10719	USB A/mini 8 pin curved for Nikon® cameras	6'	3.39	2.85

USB 3.0 A/B Cables

•USB 3.0 A male to USB B male •High speed, up to 5Gbps

Order #	Length	ONLY
83-11867	6'	$6.19
83-11868	9'	8.19

Internal Flash Card Reader with USB 2.0 Port

•Mounts into 3.5" drive bay •Connects to internal USB header port on motherboard •Reads Compact Flash/Micro Drive, SD/SDHC/Mini SD/MMC, T-Flash/micro SD/micro SDHC, Memory Stick/MS Duo, Memory Stick Micro (M2) •Glossy black finish •Windows 2000/XP/Vista compatible •Driver not required

Order # 83-11764 **Reg.** ~~$12.29~~ **SALE** $7.99

DVI to Dual VGA Adapter

•Turn one DVI output into multiple video outputs •DVI to two HD15 VGA outputs •This unique adapter splits a DVI output into two video outputs

Order # 83-11679 **ONLY** $7.19

VGA to Dual VGA Adapter

•Turn one VGA output into multiple video outputs •HD-15 VGA to two HD15 VGA outputs •This unique adapter splits a VGA output into two video outputs

Order # 83-11680 **ONLY** $7.19

DVI to Component Adapter

•Turn one DVI output into multiple video outputs •DVI to component + HD-15 •This unique adapter splits a DVI output into two video outputs

Order # 83-11678 **ONLY** $7.19

Desktop USB Extension

•Extend a USB port •4' cable with a USB A male port

Order # 83-11681 **Reg.** ~~$4.09~~ **SALE** $3.99



USB to Category 5 Extender Kit

•Extend the distance of any USB device •Supplied in pairs to extend USB signals over Cat 5 cable •Transmission range: 50m •Compatible with webcams, mice, keyboards and other devices •Some devices may require additional power with optional power supply

Order # 83-11534 **Reg.** ~~$40.79~~ **SALE** $34.99

Right Angle HD-15 Super VGA Cables

These heavy-duty cables are designed to extend your existing video cable up to 100' with minimal signal loss. The M/F cables have a 90° angle on the male end. The M/M cables also have a 90° angle on one end. Designed for cramped work areas.

Order #	Description	Reg.	SALE
83-11255	10' male to female	$15.29	$14.99
83-11256	25' male to female	19.39	18.99
83-11257	50' male to female	25.49	24.99
83-11258	75' male to female	33.69	32.99
83-11259	100' male to female	50.99	49.99
83-11260	10' male to male	15.29	14.99
83-11261	25' male to male	19.39	18.99
83-11262	50' male to male	25.49	24.99
83-11263	75' male to male	33.69	32.99
83-11264	100' male to male	50.99	49.99

#83-9872

#83-9873

DVI Video Adapters

•DVI adapters for every interface •DVI-latest digital video interconnect standard established by the DDWG (Digital Display Working Group) •Fully molded adapters with thumb screws and/or latches provide transition from DVI to both VGA (HD15) and DFP interfaces •Compact in size these adapters are very useful in dealing with difficult interconnection problems

Order #	Description	Reg.	SALE
83-9872	DVI-A male to HD15 female	$3.09	$2.99
83-9873	DVI-I dual female to HD15 male	2.59	2.49

Port Saver Adapters



Save costly repairs to your computer's video, serial and parallel connectors by using this port saver device as a disposable adapter. When the adapter wears out due to continually plugging and unplugging your monitor, printer or other desktop peripherals from your PC, just replace the adapter and avoid mainboard connector damage and repair delays.

Order #	Description	Reg.	SALE
83-6320	DB-9, male/female	$5.80	$4.99
83-6325	DB-25, male/female	6.19	4.99
83-6330	HD-15, male/female	6.09	4.99

Displayport Male to Male Video Cables

•Future Proof your technology investment •Displayport is a next generation digital interface designed to replace LVDS, DVI and eventually VGA •Displayport features an innovative, micro-packet architecture and includes a bi-directional auxiliary channel for two way communications between a PC and a display •This modern architecture enables exciting display capabilities and is designed to enable maximum display performance

Order #	Description	Reg.	SALE
83-11473	6' DisplayPort M/M	$10.19	$7.99
83-11474	15' DisplayPort M/M	20.39	14.99
83-11475	20' DisplayPort M/M	30.59	19.99
83-11476	30' DisplayPort M/M	40.79	29.99

Category 5e Crossover Cables



•Used to directly connect hub to hub, PC to PC or Mac to Mac •Color: Red

Order #	Length	Reg.	SALE
831-1716	3'	$2.09	$1.29
831-1718	5'	2.59	2.29
831-1719	7'	3.09	2.49
831-1720	10'	4.09	3.79
831-1721	25'	8.19	6.99

Computer Products

Cat 5e or Cat 6? Either way MCM is the place to get your network patch cables.



Enhanced 350MHz Category 5e UTP Patch Cables

Offers data transmission rates of up to 155Mbps, a 50% improvement over standard Cat 5 cables. Supports today's 100Mbps fast ethernet standards. **Specifications:** •4 pair 24AWG unshielded wiring •RJ-45 connectors •Meets EIA/TIA 568A standards

Molded Snagless Connectors

Length	Gray Order #	Blue Order #	White Order #	Yellow Order #	Black Order #	Red Order #	Green Order #	Orange Order #	(1-9)	(10-up)
2'	831-1351	831-1352		831-1353	831-1354				$1.09	$0.99
3'	831-1355	831-1356	831-1357	831-1358	831-1359	831-1360	831-1361	831-1695	1.59	1.52
4'	831-1362	831-1363		831-1364	831-1365				1.59	1.52
5'	831-1366	831-1367	831-1368	831-1369	831-1370	831-1371	831-1372	831-1696	2.09	1.93
6'	831-1373	831-1374		831-1375					2.70	2.64
7'	831-1377	831-1378	831-1379	831-1380	831-1381	831-1382	831-1383	831-1697	2.70	2.64
10'	831-1392	831-1393	831-1394	831-1395	831-1396	831-1397	831-1398		3.39	3.32
14'	831-1403	831-1404	831-1405	831-1406	831-1407	831-1408	831-1409	831-1699	4.69	4.58
15'	831-1410	831-1411		831-1412	831-1413				4.69	4.58
20'	831-1414	831-1415		831-1416	831-1417				5.09	4.99
25'	831-1418	831-1419	831-1420	831-1421	831-1422	831-1423	831-1424	831-1700	6.19	6.01
50'	831-1425	831-1426	831-1701	831-1427	831-1702	831-1703	831-1704		10.19	10.09
100'	831-1428	831-1705		831-1706	831-1707	831-1708	831-1709		18.39	17.94

Category 6 UTP Patch Cables

Cat 6 UTP patch cables offer data transmission rates of up to 155Mbps, a 35% improvement over standard Cat 5e cables. Supports today's 100Mbps fast ethernet standards and tomorrow's 1000Mbs needs. **Specifications:** •4 pair 24AWG unshielded wiring •RJ-45 connectors •Meets EIA/TIA 568A standards

Molded Snagless Connectors

Length	Blue Order #	Black Order #	Gray Order #	Red Order #	Yellow Order #	Green Order #	White Order #	ONLY
3'	831-2082	831-2083	831-2084	831-2085	831-2086	831-2087	831-2088	$2.89
5'	831-2089	831-2090	831-2091	831-2092	831-2093	831-2094	831-2095	4.09
7'	831-2096	831-2097	831-2098	831-2099	831-2100	831-2101	831-2102	4.39
10'	831-2103	831-2104	831-2105	831-2106	831-2107	831-2108	831-2109	5.40
14'	831-2110	831-2111	831-2112	831-2113	831-2114	831-2115	831-2116	7.19
25'	831-2117	831-2118	831-2119	831-2120	831-2121	831-2122	831-2123	12.29

Null Modem Cables

These cables allow two DTE or DCE devices to communicate with no conflict in data transmission. The transmit and receive signals are crossed to ensure proper data flow. Each cable is designed with a rugged, over-molded construction that provides extra strain relief and a solid connection. Foil-shielded for protection against EMI/RFI interference caused by surrounding office equipment and florescent lights. Available in a wide variety of lengths and gender combinations.

Order #	Description	Reg.	SALE
83-8273	6' DB-25 M/F	$5.09	$2.99
83-8274	10' DB-25 M/F	7.19	4.99
83-8276	6' DB-25 M/M	5.09	2.99
83-8277	10' DB-25 M/M	7.19	4.99
83-8279	6' DB-25 F/F	5.09	2.99
83-8280	10' DB-25 F/F	7.19	4.99
83-8281	6' DB-9 M/F	5.09	2.99
83-8282	10' DB-9 M/F	13.79	4.99
83-8283	6' DB-9 F/F	5.09	2.99
83-8284	10' DB-9 F/F	7.69	4.99
83-8285	6' DB-9 female to DB-25 male	5.09	2.99
83-8286	10' DB-9 female to DB-25 male	7.19	4.99
83-8287	25' DB-9 female to DB-25 male	9.19	7.99
83-8288	6' DB-9 female to DB-25 female	5.09	2.99

Nintendo Type 72 Pin Connector

72 pin connector used in popular Nintendo NES games. Connector failure is a frequent source of repair problems in Nintendo games. Blinking or garbage found on screen is frequently a result of a bad connector. Our new version of this connector is redesigned to ensure a quality replacement connector.

Order #	Reg.	SALE
83-3785	$9.49	$7.99

Super VGA Cables

These heavy-duty cables are designed to extend your existing video cable up to 100' with minimal signal loss. Use when installing switch boxes or extenders. •Rating: UL2990 •Double-shielded

Order #	Description	Reg.	SALE
83-7849	6' HD-15 male to female	$14.59	$12.99
83-7850	10' HD-15 male to female	16.90	14.99
83-7851	15' HD-15 male to female	23.80	16.99
83-7852	25' HD-15 male to female	19.39	18.99
83-7853	50' HD-15 male to female	25.49	24.99
83-7854	75' HD-15 male to female	36.19	32.99
83-7855	100' HD-15 male to female	50.99	49.99
83-7856	6' HD-15 male to male	14.49	12.99
83-7857	10' HD-15 male to male	15.29	14.99
83-7858	15' HD-15 male to male	17.39	16.99
83-7859	25' HD-15 male to male	19.39	18.99
83-7860	50' HD-15 male to male	27.09	26.49
83-7861	75' HD-15 male to male	35.19	34.49
83-7862	100' HD-15 male to male	59.99	53.49

SVGA with 3.5mm Cables

These heavy-duty cables are designed to extend your video and audio up to 100' from your PC with minimal signal loss. These cables have a HD-15 M/1' 3.5mm lead with plug on one end and a HD-15M/2' 3.5mm lead with plug on the other. They also include a molded ferrite core to reduce EMI interference.

Order #	Description	Reg.	SALE
83-11360	6' HD15 M/M + 3.5mm	$15.29	$14.99
83-11361	10' HD15 M/M + 3.5mm	18.39	17.99
83-11362	15' HD15 M/M + 3.5mm	27.59	26.99
83-11363	25' HD15 M/M + 3.5mm	30.59	29.99
83-11364	50' HD15 M/M + 3.5mm	35.69	34.99
83-11365	75' HD15 M/M + 3.5mm	45.89	44.99
83-11366	100' HD15 M/M + 3.5mm	54.09	52.99

RATED ★★★★★

Compact Pocket Multimeter

General purpose multimeter is perfect for the toolbox, the work truck or the classroom. It includes all of the most commonly used DMM functions, for a great price. Measures AC/DC voltage, DC current and resistance. It also test 1.5V and 9V batteries under load and has a 50Hz reference square wave output. With permanently attached test leads, this unit is CATII rated to 300V. Uses one Type A23 12V battery (#291-615), included.

Specifications	Range	Accuracy
DC voltage	200mV, 2000mV, 20V, 200V, 300V	±(1.5%+2)
AC voltage	200V, 300V	±(2.5% +15)
DC current	2000µA, 20mA, 200mA	±(2.5% +10)
Resistance	200Ω, 2000Ω, 20KΩ, 200KΩ, 2000KΩ	±(2.5%+5)
Square wave output	2.7V p-p	
Battery load	9V @ 5mA, 1.5V @ 50mA	
Input impedance	1MΩ	
Dimensions	3⅝" (H) x 2" (W) x 1" (D)	

Order # 72-7940 **Reg.** ~~$10.70~~ **SALE** $3.99

TENMA®

Tenma is the leader in cost effective compact digital multimeters.

TENMA® Large Display Digital Multimeter

- ✔1,999 count display
- ✔Measures capacitance

Full function multimeter offers a variety of ranges for every service application. Rugged overmolded housing stands up to the daily rigors of field service use, and large backlit LCD display is easily read from several feet away. Measures AC/DC voltage, AC/DC current, resistance and capacitance. 3½ digit, 1999 count display features ⅞" digits for easy at–a–glance reading. **Features:** •Continuity buzzer •Data hold •Full icon display •Sleep mode •Low battery display •Included standard test leads, plus separate short leads for accurate capacitance checking •Includes standard 9V battery and owners manual •Meets 1000V CATII standards

Specifications	Range	Accuracy
DC voltage	200mV, 2V, 20V, 200V, 1000V	±(0.5%+1)
AC voltage	200mV, 2V, 20V, 200V, 750V	±(0.8% +3)
DC current	20µA, 2mA, 200mA, 20A	±(0.8%+1)
AC current	200µA, 2mA, 20mA, 200mA, 20A	±(1%+3)
Resistance	200Ω, 2KΩ, 20KΩ, 200KΩ, 2MΩ, 20MΩ, 20MΩ, 200MΩ	±(0.8%+1)
Capacitance	2nF, 20nF, 2µF, 100µF	±(4%+3)
Input impedance	10MΩ	
Dimensions	6½" (H) x 3¼" (W) x 1¼" (D)	

Order # 72-7720 **MSRP** $39.95 **Reg.** ~~$29.99~~ **SALE** $24.99

TENMA® Capacitance Meter

- ✔1,999 count display
- ✔Nine capacitance ranges to 20,000µF
- ✔Nine resistance ranges to 2,000MΩ
- ✔Transistor h_{FE} measurement

Compact meter is ideal for capacitor measurement in service and assembly applications. **Features:** •Diode test •Audible continuity test •Low battery display •Comes complete with standard 9V battery, test clips and owners manual •See owners manual at MCMelectronics.com for detailed accuracy, resolution and test frequency specifications

Order # 72-8150 **MSRP** $42.95 **Reg.** ~~$32.69~~ **SALE** $24.99

TENMA® Digital Multimeter with Temperature

- ✔1,999 count display
- ✔Measures capacitance
- ✔Measures °F and °C temperature

Full function multimeter offers a variety of ranges for every service application, including Fahrenheit and Celsius temperature measurement. Rugged overmolded housing stands up to the daily rigors of field service use, and large backlit LCD display is easily read from several feet away. Measures AC/DC voltage, AC/DC current, resistance, capacitance frequency and temperature. 3½ digit, 1999 count display features ⅞" digits for easy at-a-glance reading. **Features:** •Continuity buzzer •Data hold •Full icon display •Sleep mode •Low battery display •Included standard test leads, plus separate short leads for accurate capacitance checking •Includes standard 9V battery and owners manual •Meets 1000V CATII standards

Specifications	Range	Accuracy
DC voltage	200mV, 2V, 20V, 200V, 1000V	±(0.5%+1)
AC voltage	2V, 20V, 200V, 750V	±(0.8% +3)
DC current	20mA, 200mA, 20A	±(0.8%+1)
AC current	20mA, 200mA, 20A	±(1%+3)
Resistance	200Ω, 2KΩ, 20KΩ, 200KΩ, 2MΩ, 20MΩ, 200MΩ	±(0.8%+1)
Capacitance	20nF, 200nF, 2µF, 100µF	±(4%+3)
Temperature (°C)	-40°C~1000°C	±(1%+3)
Temperature (°F)	-40°~1832°	±(1%+4)
Frequency	2KHz~20KHz	±(1.5%+5)
Input impedance	10MΩ	
Dimensions	6½" (H) x 3¼" (W) x 1¼" (D)	

Order # 72-7725 **MSRP** $49.95 **Reg.** ~~$38.79~~ **SALE** $29.99

TENMA® Feature Packed Pocket Multimeter

- ✔3,999 count display
- ✔Ultra compact pocket size
- ✔Includes folding pocket case

Folding calculator style meter includes functions thought impossible of a unit this size. 3¾ digit, 3999 count display features ⅝" high digits, for easy viewing. Measure AC/DC voltage, resistance, frequency duty cycle and even capacitance. The meter measures only ⅜" thick (excluding folding case) allowing storage virtually anywhere. With permanently attached test leads, this unit is CATII rated to 300V. Requires one type CR2032 3V lithium battery (#291-510), which is included. Comes complete with folding carry case and owners manual.

Specifications	Range	Accuracy
DC voltage	400mV, 4V, 40V, 400V, 500V	±(0.8%+1)
AC voltage	4V, 40V, 400V, 500V	±(1.2% +3)
Resistance	400Ω, 4KΩ, 40KΩ, 400KΩ, 4MΩ, 20MΩ	±(1%+2)
Capacitance	4nF, 40nF, 400nF, 4µF, 40µF, 200µF	±(4%+3)
Frequency	10Hz~100KHz	±(0.5%+3)
Input impedance	10MΩ	
Dimensions	4¾" (H) x 3¼" (W) x ⅝" (D), including case	

Order # 72-7935 **MSRP** $24.95 **Reg.** ~~$20.39~~ **SALE** $14.99

MCMelectronics.com
1-800-543-4330
Enter source code from back cover in web shopping cart to receive sale prices.
Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com
Follow us on: facebook & twitter

TENMA®

Equip your bench for less with quality Tenma products.

Multi Range Switch Mode Power Supply

Compact adjustable laboratory supply is ideal for test, measurement and service applications where tight voltage and current regulation are critical. Its unique feature is that it delivers up to 80W of constant output power in three selectable ranges. Output on/off control allows user to set voltage and current with the supply's output turned off. Additionally, a front panel "review" button displays voltage and current settings, without a connected load. Multiple units may be cascaded in master/slave configuration to suit higher voltage or current requirements. **Features:** •Efficient switch mode design •Extremely compact footprint •Remote sensing •Four digit LED display •Simultaneous display of voltage and current •Auto selecting constant voltage (CV) and constant current (CC) modes •Ultra quiet convection cooling •Short circuit, overload, over voltage and thermal protection •75% efficiency at maximum •RoHs compliant

Specifications	
Selectable ranges	0~16V, 0~5.0A 0~27V, 0~3.0A 0~36V, 0~2.2A
Voltage regulation	
Load (from 0~100%)	≤ 20mV
Line	≤ 4mV
Ripple and noise (p-p)	≤ 30mV
Current regulation	
Load (from 0~100%)	≤ 10mA
Line	≤ 10mA
Power requirements	90~264VAC, 47~63Hz
Dimensions	5" (H) x 2" (W) x 13" (D)
Weight	4.2 lbs.

Order #	MSRP	Reg.	SALE
72-8355	$299.00	~~$265.00~~	$179.00

Ultra Compact 2.8GHz Frequency Counter

Rugged instrument is smaller than a deck of cards, yet provides frequency measurement of digital, on/off keying and analog signals from 30MHz to 2.8GHz. It is perfect for displaying the output of two–way radio equipment, analog and digital cell phones, RF remote controls and many other items. Internal vibrator alert also makes this an outstanding device for detecting transmitters in counter–surveillance applications. **Features:** •Seven digit LCD display •16 segment bargraph signal strength meter •Rugged aluminum housing with black anodized finish •Input threshold "squelch" control •Hold function •Internal ni-cad battery pack with included charger •Removable telescopic antenna **Specifications:** Frequency range: 30~800MHz (low), 500MHz~2.8GHz (high) •Resolution: 10KHz (digital and on/off keying), 1KHz (analog) •Input: BNC female, 50Ω •Minimum pulse width (on/off keying): 50µS •Sensitivity: <5mV •Max input: 15dBm (not for direct connection to transmitter) •Typical battery life: five hours •Dimensions: 3.25" (H) x 2.8" (W) x 1.25" (D)

Order #	MSRP	ONLY
72-7390	$249.00	$183.00

Hand Held DSO Oscilloscope/DMM

Compact hand held units provide outstanding two channel color DSO oscilloscope performance plus added functions of a full featured True RMS digital multimeter. **Scope features:** •Bright high-resolution 3.8" color TFT-LCD display •Advanced trigger functions •Adjustable trigger sensitivity •USB storage •Fully isolate scope and DMM inputs **DMM features:** •Measures AC/DC voltage and current, reisitance and capacitance •4,000 count display •Diode and continuity test **Included accessories:** •Two 10:1 oscilloscope probes •Standard DMM probes •Aluminum carry/storage case •USB cable with software •Internal Li-ion battery pack with included AC charger •See MCMelectronics.com for complete specifications

Specifications	#72-8470	#72-8474
Oscilloscope		
Bandwidth	20MHz	100MHz
Sample rate (real time)	100MS/s	500MS/s
Rise time	≤17.5ns	≤3.5ns
Resolution	320 x 240 pixels, 4096 colors	
Record length	Max. 6000 points on each channel	
Time base range	5ns/div~100s/div	
Vertical sensitivity	5mV/div~5V/div (at input)	
DC gain accuracy	±5%	±3%
Max. input voltage	400V (p-p) CAT II	
Trigger type	Edge, video	
Trigger mode	Auto, normal, single	
Sampling mode	Normal, peak detection, average	
DMM		
Input impedance	10MΩ	
Max input voltage	400VAC, 400VDC	
Max input current	10A AC, 10A DC	
AC frequency range:	40Hz~400Hz	
General		
Power requirements	8.5VDC, 1500mA 100 ~ 240VAC, 50/60Hz AC adapter included	
Battery life	Six hours	
Dimension	7" (H) x 4.5" (W) x 1.6" (D)	
Weight	22.75 oz.	

Order #	ONLY
72-8470	$611.00
72-8474	815.00



25MHz Digital Storage Oscilloscope

Compact two channel scope is little more than 5" deep, yet is perfect for a variety of service, manufacturing and testing applications, and is especially well suited for educational environments. Its 5.7" color LCD display provides a bright clear trace and on screen display of settings. **Features:** •500MS/s sampling rate •Edge, pulse and video triggering on both channels •Rising and falling edge triggering •Includes two probes •RS-232 and USB device port •Measures only 5.9" (H) x 12.6" (W) x 5.1" (D)

Order #	MSRP	Reg.	SALE
72-8395	$699.00	~~$367.00~~	$325.00

Portable HDMI Pattern Generator

The Tenma #72-7480 HDMI test pattern generator is the ideal low cost solution for installation, calibration and servicing of any display with a HDMI input. Compact unit features 34 static and dynamic video test patterns specially designed for testing, calibrating, and troubleshooting high-end video gear and A/V installations. Capable of providing HDTV outputs from 480p~1080p at refresh rates of 60~85Hz. On screen display indicates output resolution and refresh rate settings. Simple five-button operation easily selects resolution, scan/refresh rate, and pattern. **Features:** •Rechargeable battery for ultimate portability •Output resolution from 480p~1080p **Includes:** •AC adapter •5' HDMI cable **Dimensions:** •7" (H) x 1.25" (D) x 3.75" (W) •Complete manual and sample test patterns are available at MCMelectronics.com

Order #	ONLY
72-7480	$230.00

Tone Generator/Probe Set

✔*Quickly trace and identify cables*
✔*Provides live telephone line status check*

Tone/probe set is basic necessity for anyone running data, voice or any other low voltage cable. It is also suitable for tracing alarm, coax or speaker cables throughout a structure. Two piece kit includes tone generator and amplifier probe, plus belt loop carry case. **Features:** •Selectable steady and warble tone •Volume control •Headphone jack •Transmitter has attached RJ-11 plug and clip leads •Requires one 9V and two "AA" batteries (not included)

Order #	ONLY
72-8500	$35.69

TENMA®

See the new Tenma sound level meter calibrator at the lowest price in the industry.

TENMA® Compact Clamp Meter

This low cost compact clamp measures AC/DC voltage, AC current, and resistance, and is perfect for many applications, including HVAC and appliance repair. **Features:** •1999 count autoranging display •10MΩ input impedance •Diode test •Continuity buzzer •Max hold •Data hold •Full icon display •Sleep mode •Low battery indicator •Includes zipper case, test leads, owners manual •Requires two "AAA" batteries (included)

Specifications	Range	Accuracy
DC voltage	200mV, 2V, 20V, 200V, 600V	±(0.8% +1)
AC voltage	2V, 20V, 200V, 600V	±(1.2% +5)
AC current	2A, 20A, 200A, 400A	±(1.5%+5)
Resistance	200Ω, 2KΩ, 200KΩ, 2MΩ, 20MΩ	±(1% +2)

Order # 72-7218 **MSRP** $49.99 **Reg.** ~~$30.59~~ **SALE** $14.99

TENMA® Compact Digital Sound Level Meter

✔*Compact Size*
✔*A and C weighting*
✔*Selectable fast/slow response time*

Compact sound level meter measures less than 9" in length, including the windscreen, yet provides selectable response time and frequency weighting. It is perfect for sound system testing, speaker system measurement and environmental noise level monitoring. **Features:** •Selectable MAX hold and data hold function •Two measurement ranges •Large ¾" digit LCD backlit display •Threaded insert which accepts standard tripod mount •Auto power off •1999 count display with 0.1dB resolution •Removable windscreen •Includes manual and 9V battery **Specifications:** •Frequency range: 31.5Hz~8KHz •Measurement range: 30~100dB (low), 60~130dB (high) •Microphone element: ½" electret condenser •Sample rate: 0.5 seconds •Time weighting: 125mS (fast), 1 sec. (slow) •Accuracy: ±1.4dB @ 1KHz, 94dB •Dimensions: 8¼" (L) x 2¼" (W) x 1¼" (D)

Order # 72-942 **MSRP** $169.00 **Reg.** ~~$71.39~~ **SALE** $59.99

TENMA® Sound Level Meters with USB Interface

✔*USB interface with datalogging software*
✔*A and C weighting*
✔*Selectable fast/slow response time*
✔*Analog bargraph display*

Flagships of the Tenma line provide features normally exclusive to sound level meters costing much more. They are perfect for sound system testing, speaker system measurement and environmental noise level monitoring. **Features:** •Large 1999 count backlit LCD display analog bargraph and numerous on-screen icons •Internal datalogging of up to 20,000 records •USB interface with included cable and datalogging software •Included AC adapter or battery operation •Selectable MIN or MAX hold and data hold function •Three measurement ranges •Threaded insert which accepts standard tripod mount •0.1dB resolution •Selectable auto-power-off •Rugged blow molded carry case •Removable windscreen •Includes manual and 9V battery **Specifications:** •Frequency range: 31.5Hz~8KHz •Measurement ranges: 30~80dB (low), 50~100dB (med), 80~130dB (high), 30~130dB (auto) •Microphone element: ½" electret condenser •Sample rate: 0.5 seconds •Time weighting: 125mS (fast), 1 Sec. (slow) •Accuracy: ±1.4dB @ 1KHz, 94dB •DC output: 10mV/dB, 1KΩ load •AC output: 1VRMS per each range step, 100Ω load •Dimensions: 9¾" (L) x 2½" (W) x 1" (D)

Order # 72-947 **MSRP** $349.00 **Reg.** ~~$173.00~~ **SALE** $139.00

TENMA® Digital Speaker Impedance Meter

Avoid costly service calls and amplifier damage by verifying actual speaker system impedance prior to operation. Unlike conventional volt/ohm meters, which measure DC resistance, this unit utilizes an internal 1KHz oscillator to measure true impedance. Accurately measure speaker lines that utilize impedance matching volume controls, switchers, transformers and passive crossovers. Large digital display features 1" characters for easy viewing. Rotary selector provides x1 (0~20Ω), x10 (0~200Ω) and x100 (0~2KΩ) scales. Rugged, double insulated case is CATIII rated for use up to 100V. Dimensions: 8" (H) x 3½" (W) x 2¼" (D). Includes test leads, carry case and owners manual. Requires six "AA" batteries (#292-015), not included.

Order # 72-6947 **MSRP** $299.00 **Reg.** ~~$153.00~~ **SALE** $119.00

TENMA® Combination Multimeter and Network Cable Tester

✔*2,000 count display*
✔*Verifies correct wiring of RJ-45, RJ-11, RJ-12 and BNC network cables*
✔*Autoranging multimeter functions*

Compact 2-in-1 unit provides standard digital multimeter functions, as well as tests proper pin configurations on network and voice cables. Dual pinout indicator provides sequential verification of each pin on a network cable, and the included remote terminator allows testing of cables already installed in a structure. Digital multimeter measures AC/DC volts and amps, resistance and diodes, and provides audible continuity test. **Features:** •Rugged overmolded housing •Selectable auto/manual range selection •Max hold •Data hold •Selectable continuity beep •Requires 9V and two "AA" batteries (not included) •Includes test leads, BNC network cable adapters, zipper carry case and owners manual

Specifications	Range	Best Accuracy
DC voltage	200mV, 2V, 20V, 200V, 600V	±0.5% +3 digits
AC voltage	2V, 20V, 200V, 600V	±1.0% +5 digits
DC current	200µA, 2000µA, 20mA, 200mA	±1.5% +3 digits
AC current	200µA, 2000µA, 20mA, 200mA	±1.8% +3 digits
Resistance	200Ω, 2KΩ, 200KΩ, 2MΩ, 20MΩ	±1.2% +5 digits
Continuity	Buzzer sounds at less than 150Ω	
Input impedance	7.5MΩ	

Order # 72-8495 **ONLY** $40.79

TENMA® Sound Level Meter Calibrator

Ensure that your sound level meter is accurate with this calibrator. **Features:** •Up to ¼" microphone can be inserted into bottom •Switchable between 94dB and 114dB sound outputs •Output frequency: 1KHz •Accuracy: ±0.5dB •Operates on one 9V battery (included)

Order # 72-8530 **MSRP** $179.99 **ONLY** $119.00

MCMelectronics.com
1-800-543-4330
Enter source code from back cover in web shopping cart to receive sale prices.
Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com
Follow us on: facebook & twitter

TENMA®

See what's new in soldering products from Tenma.



NEW!

TENMA® SMD Soldering/Desoldering Tweezers

•Provides a fast, efficient method to solder and desolder surface mount devices such as chip resistors, chip capacitors, SOTs, flat pack and DIP ICs •Dual highly insulated 40W ceramic heating elements insure rapid heat up and recovery •Wide variety of interchangeable tips available in 2mm to 30mm widths •Heat resistant silicon cord is terminated with three pin grounded AC plug **Note:** •Separate temperature control unit now available, #21-7927, which features a rotary temperature setting knob, making these suitable for any application

Order #	Size	MSRP	Reg.	SALE
SMD tweezers				
21-8230	-	$49.95	~~$32.69~~	**$14.99**
Temperature control unit				
21-7927	-	39.99	**30.59**	-
Replacement tip sets				
21-8190	2mm		~~1.09~~	**0.69**
21-8191	3mm		~~1.19~~	**0.69**
21-8192	5mm		~~1.09~~	**0.69**
21-8195	10mm		~~1.59~~	**0.79**
21-8196	15mm		~~1.59~~	**0.79**
21-8197	20mm		~~1.59~~	**0.79**
21-8198	30mm		~~1.59~~	**0.79**

TENMA® Variable Temperature Solder Stations

Featuring adjustable temperature and a variety of available tips, these units are perfect for most soldering applications including SMD. **Features:** •Grounded tip for soldering static sensitive devices •Overheat protection with closed loop temperature control •Heat resistant soldering iron cord •Grounded three-wire power cord •Auxiliary ground terminal •Built-in tray with cleaning sponge •Easily accessible fuse holder •Units come with replaceable iron clad conical ¾₄" tip •Improved circuit design for greater temperature stability •Temperature range: 320~900°F (#21-1590), 300~790°F (#21-147) •48W •Available with digital or linear LED displays

Order #	Type	(1-3)	(4-up)
21-1590	Digital	**$89.99**	**$81.59**
21-147	Analog	**69.99**	**64.25**

TENMA® Adjustable Solder Station

No-nonsense, low cost station is specifically intended for the classroom, where durability, physical size, and budget are a concern. It is also perfect for occasional use in the home workshop or tech bench. **Features:** •Rotary temperature setting •Integral tip cleaner, with included cleaning sponge •Conical tip supplied (#21-7944) **Specifications:** •Temperature range: 100~800°F •Heating element: 110VAC, 50W •Iron length 7¾" •Overall dimensions 3¾" (H) x 4½" (W) x 5¾" (D)

Order #	MSRP	ONLY
21-7945	$59.95	**$19.99**



TENMA® Replacement Soldering Tips

✔*For 21-7925 soldering station*
✔*For 21-9290 soldering iron*
✔*For 21-9295 soldering iron*

Fig.	Order #	Description	ONLY
A	**21-9300**	Conical tip	**$2.09**
B	**21-9301**	Micro conical tip	**2.09**
C	**21-9302**	Chisel tip	**2.09**
D	**21-9303**	Large chisel tip	**2.09**
E	**21-9304**	Micro chisel tip	**2.09**

TENMA® Adjustable Solder Station

NEW!

Terrific for a technician, and priced to fit a hobbyist's budget, this adjustable solder station features a sturdy iron holder, an integrated tip-cleaning tray with sponge, and a 50W soldering iron. **Features:** •Rotary temperature setting •Rugged steel enclosure •LED power status light •Variety of replacement tips available, high-quality iron plated copper conical tip included (#21-9300) **Specifications:** •Temperature range: 300~800°F •Iron length: 8½" •Heating element: 120VAC, 50W •Overall dimensions: 2½" (H) x 3¾" (W) x 5¼" (D)

Order #	MSRP	ONLY
21-7925	$59.99	**$40.79**

TENMA® Conical Tip Upgrade for #21-7945

•This new replacement tip for the #21-7945 provides drastic performance improvement, and is built to last •Highly resistant to oxidation •Pre-tinned iron plated copper •Lead-free •Manufactured exclusively for Tenma by Plato® products •**Sold individually**

Order #	ONLY
21-7944	**$5.09**

TENMA® Solder

Ideal for general purpose electronic repair and assembly use. Tin/lead formulation provides the lowest possible melting point. •Rosin flux core •Diameter: 1mm (0.04") •Melting point: 188°C (370°F) •60.0% tin, 40.0% lead •Available in 1 lb. and 6 oz. spools

Order #	Size	(1-9)	(10-24)	(25-up)
21-1040	1 lb.	**$13.29**	**$12.19**	**$10.71**
21-1045	6 oz.	**6.69**	**6.11**	**5.40**

TENMA® Heavy-Duty Soldering Irons

Available in two different wattages, these soldering irons from Tenma feature high-quality conical tips and a heavy-duty grounded power cord. **Features:** •Overall length: 8½" •Power cord length: 6' •Comfortable handle with rubber grip •Variety of replacement tips available, conical tip included (#21-9300)

Order #	Wattage	MSRP	ONLY
21-9290	25W	$14.99	**$10.19**
21-9295	45W	14.99	**10.19**

Visit our website to rate a product or write a review.

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Special Purchases! Limited Quantities

Check out these great buyouts on in-wall speakers.

5¼" In-Wall Speaker Pair

Perfect for use in residential audio systems, or as a background music speaker in a commercial setting, this speaker pair features high-quality polypropylene woofers and soft dome tweeters. **Features:** •5¼" woofer with foam surround •Perforated aluminum grill •Paintable plastic frame •Push terminals accepting 16AWG wire •6dB/octave crossover **Specifications:** •Power capacity: 35W/70W RMS/peak •Frequency response: 60Hz~20KHz •Sensitivity: 90dB (W/M) •Impedance: 8ohm •Overall frame size: 11" (H) x 7½" (W) •Required cutout: 9¾" (H) x 6¼" (W) •**Limited quantities**

Order #	MSRP	ONLY
58-14035	$59.99	$19.99

6½" In-Wall Speaker Pair

Perfect for use in residential audio systems, or as a background music speaker in a commercial setting, this speaker pair features high-quality polypropylene woofers and a 1" mylar pivoting tweeter. **Features:** •6½" woofer with foam surround •Perforated aluminum grill •Paintable plastic frame •Push terminals accepting 16AWG wire •12dB/octave crossover **Specifications:** •Power capacity: 50W/100W RMS/peak •Frequency response: 45Hz~20KHz •Sensitivity: 89dB (W/M) •Impedance: 8ohm •Overall frame size: 12" (H) x 8½" (W) •Required cutout: 10¾" (H) x 7½" (W) •**Limited quantities**

Order #	MSRP	ONLY
58-14040	$64.99	$24.99

8" In-Wall Speaker Pair

Perfect for use in residential audio systems, or as a background music speaker in a commercial setting, this speaker pair features high-quality polypropylene woofers and a 1" mylar pivoting tweeter. **Features:** •8" woofer with foam surround •Perforated aluminum grill •Paintable plastic frame •Push terminals accepting 16AWG wire •12dB/octave crossover **Specifications:** •Power capacity: 75W/150W RMS/peak •Frequency response: 40Hz~20KHz •Sensitivity: 90dB (W/M) •Impedance: 8ohm •Overall frame size: 14" (H) x 10" (W) •Required cutout: 12¾" (H) x 8¾" (W) •**Limited quantities**

Order #	MSRP	ONLY
58-14045	$69.99	$29.99

8" In-Wall Subwoofer

A perfect compliment to any speaker system, this dual voice coil subwoofer provides outstanding bass without occupying valuable floor space. **Features:** •8" woofer with foam surround •Cloth backed perforated aluminum grill •Paintable plastic frame •Push terminals accepting 16AWG wire •Dual voice coils with dual low pass filters •Left and right inputs with satellite outputs •30oz. magnet •1½" port **Specifications:** •Power capacity: Combined 75W/150W RMS/peak •Frequency response: 40Hz~500Hz •Sensitivity: 90dB (W/M) •Impedance: 8ohm •Overall frame size: 14" (H) x 10" (W) •Required cutout: 12¾" (H) x 8¾" (W) •**Limited quantities**

Order #	MSRP	ONLY
58-14050	$59.99	$19.99

Fiberglass Compression Horn Lens

•Material: Fiberglass with brass threaded insert •Throat diameter: 1" •Cutout dimensions:13¾" x 3¾" •Outer dimensions: 15⅛" x 5" •Depth: 6" •Threaded insert: 1⅜", 18TPI •Mfr. #PH-200 •**Limited quantities**

Order #	MSRP	ONLY
58-13840	$24.95	$3.09

Piezo Tweeter

•Material: ABS plastic •Cutout dimensions: 4¾" x 1¾" •Outer dimensions: 5¾" x 2⅝" •Depth: 2½" •Power capacity: 75W/150W RMS/peak •Sensitivity: 94dB •Frequency response: 3.5KHz~20KHz •Impedance: 8ohm at 20KHz •**Limited quantities**

Order #	MSRP	ONLY
58-13850	$9.95	$1.09

Dual Piezo Tweeter

•Material: ABS plastic •Cutout dimensions: 9¼" x 3⅝" •Outer dimensions: 11¼" x 5" •Depth: 6¾" •Power capacity: 75W/150W RMS/peak •Sensitivity: 94dB •Frequency response: 3.5KHz~20KHz •Impedance: 8ohm •**Limited quantities**

Order #	MSRP	ONLY
58-13855	$29.95	$6.19

JENSEN HDTV Antenna

•This high-quality indoor antenna increases optimal audio and video reception •Built-in A/B switch easily alternates between TV and video games, cable or satellite •Sleek, low profile design •Easy-to-install •No adjusting required •Mfr. #TV920 •**Limited quantities**

Order #	MSRP	ONLY
58-13980	$79.99	$20.39

Die-Cast Unidirectional Microphone

Take advantage of this tremendous buyout! Perfect for PA systems, computers, and other professional sound systems. **Specifications:** •Unidirectional •Mesh wind guard •Frequency response 80~12,000Hz •Impedance 600ohm •Weight .5 lbs. •Die-cast zinc alloy housing •On/off switch **Includes:** •15' XLR to ¼" cable •¼" to 3.5mm adapter •Plush leather travel bag •Mfr. #DM-68A •**Limited quantities**

Order #	MSRP	ONLY
58-13695	$39.99	$10.19



AR ACOUSTIC RESEARCH

Impedance Matching Six Pair Speaker Selector

This impedance matching speaker selector allows the connection of up to six pairs of speakers to a stereo amplifier, while maintaining a minimum 4ohm load. Front mounted push-button switches make it simple to control each speaker pair. **Features:** •Highly efficient transformer type impedance matching •Heavy-duty push type terminals accepting up to 16AWG speaker wire •Power capacity: 150W/300W RMS/max per channel •Frequency response: 30Hz~20KHz ±2dB •Dimensions: 2½" (H) x 6" (W) x 14" (D) •Mfr. #ARSS6 •**Limited quantities**

Order #	MSRP	ONLY
58-13970	$69.99	$20.39

Digital In-Wall Volume Control

This sleek Decora style control features electronics up/down adjustment of in-wall or ceiling speaker pairs, with an attractive blue LED digital display. Level may be controlled directly at the switch, or remotely with the included IR remote. **Features:** •100W RMS per channel power capacity •Impedance matching settings of x1, x2, x4 and x8 •Allows connection of up to 16 pairs of speakers to a single stereo amplifier •Allows 16 pairs of 8ohm speakers to appear as a 4ohm load •Detachable Phoenix style speaker wire connections •**Note:** Requires 12VDC power (#82-3950), see MCMelectronics.com for detailed connection instructions •Mfr. #ARDVC1 •**Limited quantities**

Order #	MSRP	ONLY
58-13975	$119.99	$29.99

RCA Component Video Switch

•Switches four sources into one output •For use with DVD, audio/video receiver, set-top boxes, and HDTV/plasma •Integrated learning circuit for on/off commands from your existing remotes •Universal brand compatibility •Mfr. #HD4DCA •**Limited quantities**

Order	ONLY
58-14005	$20.39

MCM

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330 – quotes@MCMelectronics.com

Follow us on: facebook & twitter

Because of our buying power, we can offer you Sony® rechargeable batteries at phenomenal prices.

Special Purchases! Limited Quantities

#58-14010

#58-14015

SONY Rechargeable Batteries and Chargers

Ideal for mid-drain hardware devices used frequently over long periods of time, and have an extremely low discharge rate. Refresh option can make your batteries last even longer, by eliminating the "memory effect" left over by a battery that has been charged without first being fully discharged. **•Limited quantities**

Order #	Description	MSRP	ONLY
	Chargers		
58-14010	Compact Charger with 2 "AA" 2000mAh batteries	$17.99	$9.99
58-14015	Quick refresh charger with 4 "AA" 2000mAh batteries	24.99	16.99
	Batteries		
58-14020	x4 "AA" 2500mAh	11.99	5.99
58-14025	x4 "AAA" 900mAh	11.99	5.99
58-14030	x2 "AA" 2500mAh	7.99	3.99

ACOUSTIC RESEARCH Ten Outlet Home Theater Surge Protector and Power Conditioner

Improve your picture quality and protect your equipment with this high-performance power conditioner and surge protector. Featuring ten outlets, dual coaxial protection, and telephone line protection, this is the only power product you need for any home theater setup. **Features:** •Ten total outlets, three transformer spaced outlets •Low profile power plug •8' rotating power cord •Front mount power switch •Grounded and protected LED indicator lights •3420 joules surge protection •Mfr. # PW100 **•Limited quantities**

Order # 58-13985 **MSRP** $59.99 **ONLY $30.59**

#58-13990

#58-13995

ACOUSTIC RESEARCH HDMI Switch

•Maintains signal integrity between multiple HDMI sources •Can be used with all HDTV formats as well as: 480p, 720p, 1080i, and 1080p •Noise free digital signal transfer •Built-in repeater •Clear LED indicators •Configured for rack mounting •Compatible with PC specifications: VGA, SVGA, XGA, SXGA, AND UXGA •RS-232 port for use with touch screen whole system controls •HDMI certified •HDCP compliant **•Limited quantities**

Order #	Mfr. #	Description	ONLY
58-13990	ARHD21	2 port	$40.79
58-13995	ARHD41	4 port	61.19

Gateway Dual Core 2.0GHz 15.4" Notebook

Featuring a 2.0GHz AMD Turion 64 X2 Dual-Core mobile processor, DVD±RW burner and 802.11b/g wireless technology, this Gateway M-1634u notebook delivers fast mobile computing at home, office, school or anywhere. **Features:** •Windows Vista Home Premium •AMD Turion™ 64 X2 Mobile Technology TL-60 2.0GHz, 512Kb X2 L2 cache •15.4" Ultrabright WXGA TFT •1280 x 800 max resolution •4Gb DDR2 667MHz memory •ATI Radeon X1270 graphics •320Gb 5400rpm SATA hard drive •8x multi-format dual layer DVD-RW •5-in-1 memory card reader •HDMI output •Three USB 2.0 ports •1.3mp webcam •Weighs only 6.25 lbs. •90 day manufacturer warranty •Mfr. #M1634U **•Limited quantities**

Order # 58-13765 **MSRP** $749.99 **ONLY $499.00**



SONY VAIO Core 2 Duo 2GHz 14.1" Notebook

A perfect mix of power and style, the VAIO CS notebook is a slim, lightweight PC weighing only 5.7 lbs. Featuring Sony's patented XBRITE-ECO™ LED backlit LCD technology, which delivers razor-sharp details and crisp, bold colors; all while consuming less power. **Features:** •Windows Vista Home Premium 64 bit •Intel Centrino Core 2 Duo T6400 2GHz CPU •4Gb DDR2 PC2-6400 RAM •250Gb SATA hard drive •DVD±RW drive •Intel 4500MHD graphics •14.1" LCD •1280 x 800 max resolution •802.11a/b/g/n wireless interface •Flash memory reader •Three USB 2.0 inputs •90 day manufacturer warranty •Mfr. #VGN-CS215J/W **•Limited quantities**

Order # 58-13770 **MSRP** $1199.00 **ONLY $799.00**

USB to 10/100 Ethernet Adapter

•Plugs into any available USB port •Allows connection of your PC to a network or broadband modem •Supports 10/100 ethernet •Driver CD included •Windows® 98SE/ME/2000/XP compatible **•Limited quantities**

Order # 58-13960 **MSRP** $24.99 **ONLY $15.29**

DXG 720p HD Compact Camcorder

•Records HD video up to 1280 x 720 at 30fps •Takes still photos, up to 8mp •2x digital zoom •3.0" TFT display •Supports high-capacity SD flash memory **Includes:** •Three "AAA" rechargeable batteries and charger •USB, A/V, and component video cables •Carrying pouch •Full photo and video editing software suite •Mfr. #DXG-569VK **•Limited quantities**

Order # 58-13835 **MSRP** $179.99 **ONLY $89.99**

8 Megapixel (15MP Max) Digital Camera

•3x optical zoom •Nine preset scene settings •2.7" LCD display •Up to 4480 x 3360 (15Mp) interpolated resolution •Anti-shake •Face detection •Timer function •Supports up to 8Gb SD memory •Records video at 640 x 480 resolution •Requires three "AAA" batteries (not included)

Order #	Description	ONLY
58-13730	Camera	$69.99
83-11490	2Gb SD flash memory card	7.29
297-0015	20 pk. "AAA" batteries	6.49

USB 2.0 Docking Station

This USB 2.0 docking station provides a convenient and simple way to connect all of your external peripherals to your laptop or netbook. **Features**: •PS/2 keyboard/mouse input •IEEE-1284 parallel printer input •Serial input •Two USB 2.0 ports •Plug & play •USB or AC powered •Includes: USB 2.0 cable, driver CD, and AC adapter **•Limited quantities**

Order # 58-13800 **MSRP** $59.99 **ONLY $39.99**

USB to Network Attached Storage Adapter

•Convert any USB external storage device into a NAS (network attached storage) device •USB 2.0 support •Supported formats: FAT32, EXT2, and EXT3 •10/100Mbps ethernet •Function support: FTP, DHCP, SAMBA, and printer server •Protocol support: TCP/IP and HTTP •Includes: AC adapter, USB A to B cable, USB A to mini cable, and an Ethernet cable •Windows® XP/Vista/7 compatible •Linux support **•Limited quantities**

Order # 58-13965 **MSRP** $59.99 **ONLY $50.99**

Looking for even more special buys? Check out the Hot Deals and Clearance items on our website.

MCMelectronics.com
1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

MCM Electronics A Premier Farnell Company
650 Congress Park Drive, Centerville, Ohio 45459

Prices effective through July 31, 2010

PRINTED WITH SOY INK

Please recycle or pass to a friend when finished.

Mixed Sources
Product group from well-managed forests, controlled sources and recycled wood or fiber
www.fsc.org Cert no. SGS-COC-004541
© 1996 Forest Stewardship Council
FSC

©May 2010, MCM Electronics Printed in U.S.A.

"Postmaster, please deliver promptly–Dated Material."

IMPORTANT:
For correct sale prices, use this source code when ordering by phone or web.

If Recipient Unavailable ROUTE TO:
- ☐ Installation Manager
- ☐ Technician
- ☐ Purchasing/Product Manager
- ☐ Installer
- ☐ Owner/General Manager
- ☐ MIS/IT

PRSRT STD
U.S. POSTAGE PAID
MCM ELECTRONICS

ELECTRONIC ESSENTIALS
SALES FLYER

104 Key Keyboard
See page 24.
Order # 83-11050 Reg. ~~$10.70~~
SALE $7.99

DEFENDER SECURITY™ Dummy Box Camera
See page 13.
Order # 82-12955 MSRP $19.99 Reg. ~~$13.29~~
SALE $9.99

DURATOOL 22" Stainless Steel Tool Box
See page 20.
Order # 22-9892 MSRP $59.99 Reg. ~~$34.99~~
SALE $24.99

Stellar Labs™ Composite/S-Video to HDMI Scaler
See page 15.
Order # 33-10720 MSRP $179.00
ONLY $59.99

MCM CUSTOM AUDIO 10" Two-Way PA/DJ Speaker System
See page 9.
Sold individually.
Order # 555-10305 MSRP $89.00
ONLY $40.79

MCMelectronics.com
▸ 1-800-543-4330

Follow us on: facebook & twitter

VISA MasterCard DISCOVER NOVUS AMERICAN EXPRESS